



# C1000-004<sup>Q&As</sup>

IBM Curam SPM V7.X Application Developer

## Pass IBM C1000-004 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c1000-004.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Examine this UIM code snippet: How will the field element be displayed in the list?

```
<SERVER_INTERFACE CLASS="Employer" NAME="DISPLAY" OPERATION="getEmployee"/>

<PAGE_PARAMETER NAME="personID"/>

<CONNECT>
  <SOURCE NAME="PAGE" PROPERTY="personID"/>
  <TARGET NAME="DISPLAY" PROPERTY="key$personID"/>
</CONNECT>

<LIST>
  <FIELD LABEL="Field.Title.PersonReference" WIDTH="20">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="personReference"/>
    </CONNECT>
    <LINK PAGE_ID="Person_Home">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="name"/>
        <TARGET NAME="PAGE" PROPERTY="name"/>
      </CONNECT>
    </LINK>
  </FIELD>
  ...
</LIST>
```

- A. As an editable text field.
- B. As a non-editable text field.
- C. As a text field hyperlink.
- D. As a drop-down list field.

Correct Answer: B

---

**QUESTION 2**

An out-of-the-box (OOTB) application called Care Worker defines shortcuts in files called CWShortcuts.ssp, which are located in the tab folder of several OOTB components.



Which task will you perform to add a custom shortcut for the Care Worker application?

- A. Copy CWShortcuts.ssp from the OOTB component that you are customizing to your custom clientapps folder and add the link.
- B. Merge the CWShortcuts.ssp files from all of the OOTB components, copy the merged version to your custom clientapps folder, and add the link.
- C. Copy CWShortcuts.ssp from the OOTB component that you are customizing to your custom PFMApViews\tab folder, and add the link.
- D. Merge the CWShortcuts.ssp files from all of the OOTB components, copy the merged version to your custom PFMApViews\tab folder, and add the link.

Correct Answer: B

---

### QUESTION 3

Which statement about the different approachable to generating unique IDs is true?

- A. A dedicated BPO should be used to generate readable keys.
- B. A programmatic or model-based approach allows a developer to access the unique ID form their code once the key is generated.
- C. The model-based approach should be used to generate keys from the Default KeySet.
- D. A key set must be specified when using the programmatic approach.

Correct Answer: D

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/c\\_SERDEV\\_Unique1UniqueIds1.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/c_SERDEV_Unique1UniqueIds1.html)

---

### QUESTION 4

Which build command must they execute?

- A. build database
- B. build webservices
- C. build websphereEAR or build weblogicEAR
- D. build wasonnector2


Correct Answer: B

---

### QUESTION 5



You want to model attribute2 as a code table in the following entity.



Which two steps are required? (Choose two.)

- A. Set the domain definition for attribute2 to CODETABLE\_CODE.
- B. Set the Type for SAMPLE\_DOMAIN2 to CODETABLE\_CODE.
- C. Define the code table name as a property of attribute2.
- D. Define the code table name as a property of SAMPLE\_DOMAIN2.
- E. Define the code table name as a property of CODETABLE\_CODE.

Correct Answer: BC

[Latest C1000-004 Dumps](#)

[C1000-004 VCE Dumps](#)

[C1000-004 Practice Test](#)