



C1000-007^{Q&As}

IBM Cloud Application Development v3

Pass IBM C1000-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c1000-007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is used to allow granular access control at the bucket level in IBM Cloud Object Storage within an application in IBM Cloud?

- A. App ID
- B. Federated SSO
- C. Platform API Keys
- D. Identity and Access Management

Correct Answer: C

QUESTION 2

What are the default phases of the IBM Continuous Delivery Toolchain?

- A. Think, Code, Build, Run
- B. Think, Code, Deliver, Run
- C. Think, Code, Build, Deliver
- D. Think, Code, Build, Deliver, Run

Correct Answer: C

QUESTION 3

Which factor of the Twelve-Factor App methodology discusses how best to understand an applications lifecycle?

- A. Logs
- B. Processes
- C. Disposability
- D. Build, release, run

Correct Answer: D

QUESTION 4

At the completion of creating a new custom Watson Visual Recognition model, which value is received that will be used to run new images against the model?

- A. api_id



B. api_key

C. classifier_id

D. classifier_key

Correct Answer: C

QUESTION 5

What is the rationale for including Content Delivery Network (CDN) services in the Web Application Reference Architecture for IBM Cloud?

A. To make files available for FTP from a local server.

B. To manage the development of files across a network of content creators.

C. To store HTML content, images, videos, cascading style sheets, JavaScript files, and user-generated content.

D. To distribute content in geographically diverse nodes and shorten the distance it has to travel to get to an end user.

Correct Answer: D

[Latest C1000-007 Dumps](#)

[C1000-007 Exam Questions](#)

[C1000-007 Braindumps](#)