VCE & PDF
Passapply.com

C1000-007$^{Q\&As}$

IBM Cloud Application Development v3

Pass IBM C1000-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/c1000-007.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

When would a developer choose to integrate a Compose for Elastic search service into their application?

A. The application requires data to be stored in filexible documents

B. The application requires rich data analysis on large volumes of data;

C. The application requires data to be replicated across multiple copies.

D. The application requires strong relational consistency across data tables.

Correct Answer: B

QUESTION 2

What response type needs to be used in the exposed IBM Cloud Function REST API if it uses path parameters?

A. Text

B. JSON

C. HTTP

D. JavaScript

Correct Answer: B

QUESTION 3

What is the rationale for including Content Delivery Network (CDN) services in the Web Application Reference Architecture for IBM Cloud?

A. To make files available for FTP from a local server.

B. To manage the development of files across a network of content creators.

C. To store HTML content, images, videos, cascading style sheets, JavaScript files, and user-generated content.

D. To distribute content in geographically diverse nodes and shorten the distance it has to travel to get to an end user.

Correct Answer: D

QUESTION 4

What is the minimum Cloud Foundry role needed in order for a user to invite a developer to work within a Cloud Foundry space?

A. Account Owner

B. Space Level Auditor

C. Organization Level Manager

D. Organization Level Developer

Correct Answer: C

QUESTION 5

A Node.js application needs to be deployed first on a staging environment to be tested before it is deployed to production environment . Using the Delivery Pipeline, two Deploy stages were created, one called "DeployToStag" targeting staging environment and the other called "DeployToProd" targeting production environment.

On running the DeployToStag stage it ran successfully while on running the DeployToProd stage it failed

with the following error:

"The route myapp.mybluemix.net is already in use"

Which command in the Deploy script for the DeployToProd stage can fix the error?

A. Option

```
cf push "${CF_APP}"
```

B. Option

```
cf push "${CF_APP}" --no-manifest
```

C. Option

```
cf push "${CF_APP}" -h my-prod-app
```

D. Option

```
cf push "${CF_APP}" --random-route
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D