



C1000-026^{Q&As}

IBM Security QRadar SIEM V7.3.2 Fundamental Administration

Pass IBM C1000-026 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c1000-026.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An administrator would like to categorize discovered assets by port definitions and add this information to a server type building block for further use.

Which QRadar Console functionality should the administrator use?

- A. Assets Tab – Actions - Scan
- B. Assets Tab – Server Discovery
- C. Admin Tab – Auto Update
- D. Admin – Scheduled Scans

Correct Answer: B

Reference: https://www.ibm.com/support/knowledgecenter/SS42VS_7.3.1/com.ibm.qradar.doc/b_qradar_tuning_guide.pdf

QUESTION 2

An administrator needs to restore from backup the applications in QRadar.

Which configuration item should the administrator select?

- A. Installed Applications Configuration
- B. Backup Installed Applications
- C. Installed Applications Backup Configuration
- D. Installed Programs Configuration

Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/SS42VS_7.3.2/com.ibm.qradar.doc/t_adm_appnode_appbackup.html

QUESTION 3

An administrator may be asked to collect diagnostic information on one of our main services. For example, ecs-ec.

Commands such as: `/opt/qradar/support/thredtop.sh` `/opt/qradar/support/jmx.sh`

These commands collect thread and statistical information on the Services pipeline, queues and filters.

How would an administrator identify a list of jmx ports for each service?

- A. `grep JMXPORT /opt/qradar/init/*`



- B. grep JMXPORT /opt/qradar/systemd/env/*
- C. grep JMXPORT /opt/qradar/system/bin/*
- D. grep JMXPORT /opt/qradar/system/mem/*

Correct Answer: B

QUESTION 4

What is a reason for restarting hostcontext service in QRadar?

- A. A new user was created and it needs to be replicated
- B. A new network hierarchy was uploaded
- C. A new app was installed
- D. The host is not responding to deploy requests

Correct Answer: D

Reference: <https://www.ibm.com/support/pages/qradar-restarting-hostcontext-q-switch>

QUESTION 5

An administrator needs data backup.

What information is contained in the data backup?

- A. Audit log information, Event data, Flow data, Report data, Indexes, Log sources
- B. Audit log information, Event data, Indexes, Index management information, Flow data, Report data
- C. Audit log information, Event data, Flow data, Report data, Indexes
- D. Audit log information, Event data, Indexes, Index management information, Flow data, Report data, Groups

Correct Answer: C

Reference: https://www.ibm.com/support/knowledgecenter/en/SS42VS_7.3.0/com.ibm.qradar.doc/c_qradar_adm_man_back_recovery.html

[Latest C1000-026 Dumps](#)

[C1000-026 Study Guide](#)

[C1000-026 Exam Questions](#)