



C1000-031^{Q&As}

IBM Power Systems Scale-Up Technical Sales

Pass IBM C1000-031 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c1000-031.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An AIX customer is purchasing two new POWER9 processor-based servers: each connected to its own DS8880 at different sites. The customer wants high availability with the least amount of downtime.

Which solution will satisfy the customer's requirements?

- A. Combine PowerHA with DS8880 data replication capabilities for automated failover across the sites.
- B. Create dual VIOS on each POWER9 and double the total number of adapters in each machine.
- C. Use the DS8880 data replication capabilities to replicate the data across the sites. Configure PowerVM Live Partition Mobility for application availability.
- D. Use the DS8880 data replication capabilities to perform automated node failover across the sites.

Correct Answer: B

QUESTION 2

A customer has two POWER8 processor-based servers with eight partitions on each system. They are upgrading to two POWER9 processor-based servers and want to improve their application uptime during the upgrade/migration to the new servers.

What feature should they implement?

- A. Live Partition Mobility between servers
- B. Remote Recovery on both servers
- C. Active Memory Expansion on each server
- D. Memory Deduplication between servers

Correct Answer: C

QUESTION 3

A customer with a Power System E880C is considering a model conversion to a Power System E980. They currently have Elastic CoD enabled.

Which of the following steps will need to be completed to continue to use Elastic CoD on the Power System E980?

- A. Prepay for Elastic CoD usage when placing the upgrade MES order for the Power System E980.
- B. Reorder the Elastic CoD enablement features when placing the upgrade MES order for the Power System E980.
- C. Reorder the Utility CoD enablement features when placing the upgrade MES order for the Power System E980.



D. Convert static activations to mobile activations when placing the upgrade MES order for the Power System E980.

Correct Answer: A

Reference: <https://www-01.ibm.com/common/ssi/cgi-bin/ssialias?htmlfid=899/ENUSLG180083andinfotype=ANandsubtype=CA>

QUESTION 4

What is the minimum amount of rack space that an 80 core Power System E980, without any I/O drawers, will take up in a 19 inch rack?

- A. 10U
- B. 12U
- C. 16U
- D. 8U

Correct Answer: D

QUESTION 5

A customer has used Trial Capacity on Demand on their Power System E980 for two months to test the effect of activating two additional cores and 32GB of additional memory for their SAP LPAR. Being satisfied with the test result, they bought a permanent activation of two cores and 32GB memory.

They now want to do another short test that requires the activation of one additional core.

Which option provides the most cost-effective solution?

- A. Use Static Activation.
- B. Use Utility Capacity on Demand.
- C. Use Trial Capacity on Demand again.
- D. Use Mobile Activation.

Correct Answer: B

[C1000-031 PDF Dumps](#)

[C1000-031 Exam Questions](#)

[C1000-031 Braindumps](#)