

C1000-031^{Q&As}

IBM Power Systems Scale-Up Technical Sales

Pass IBM C1000-031 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/c1000-031.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

A customer has a 40 core Power System E980 and would like to use Mobile Capacity on Demand.

What is the minimum of static processor activations that are required?

A. 10 B. 12 C. 20 D. 8 Correct Answer: D Reference: https://www-01.ibm.com/common/ssi/cgibin/ssialias?htmlfid=899/ENUSLG180083andinfotype=ANandsubtype=CA

QUESTION 2

What is the advantage of NVMe U.2 flash drives on a Power System E980 SAP HANA BW implementation?

A. They can provide internal boot capability for dual VIOS.

B. They allow for Live Partition Mobility of HANA databases through CAPI 2.0.

C. They can provide AIX Preferred Read storage to reduce SAN latency.

D. They can act as an extension to memory for HANA databases.

Correct Answer: C

QUESTION 3

A customer wants to configure a Power System E950 with:

36 physical processor cores

24 active processor cores

A partition running AIX with 8 virtual processors and 4.0 processor entitlement.

A partition running AIX with 12 virtual processors and 7.2 processor entitlement.

A partition running Linux with 8 virtual processors and 6.4 processor entitlement.

2 partitions running VIOS, each with 4 virtual processors and 2.0 processor entitlement.

All partitions are uncapped.



All processors are in the default pool. No additional Shared Processor Pools are used.

How many AIX licenses are required?

A. 24 B. 12 C. 20 D. 36 Correct Answer: B

QUESTION 4

Which of the following needs to be taken into consideration when designing an IBM Power System E980 solution?

A. Each system node has eight PCI full-size Gen3 slots which are a mix of x8 and x16 PCIe slots.

B. A DVD drive must be included in either the system control unit or in a system node.

C. Redundant SAS controllers in each system node manage all six system node SAS bays.

D. Only low profile PCIe adapters are supported in the system node.

Correct Answer: A

Reference: https://www-01.ibm.com/common/ssi/cgi-bin/ssialias?infotype=ANandsubtype=CAandhtmlfid=877/ENUSZG18-0086andappname=lenovospainandlanguage=es

QUESTION 5

A customer with a Power System E880C is considering a model conversion to a Power System E980. They currently have Elastic CoD enabled.

Which of the following steps will need to be completed to continue to use Elastic CoD on the Power System E980?

- A. Prepay for Elastic CoD usage when placing the upgrade MES order for the Power System E980.
- B. Reorder the Elastic CoD enablement features when placing the upgrade MES order for the Power System E980.
- C. Reorder the Utility CoD enablement features when placing the upgrade MES order for the Power System E980.
- D. Convert static activations to mobile activations when placing the upgrade MES order for the Power System E980.

Correct Answer: A

Reference: https://www-01.ibm.com/common/ssi/cgibin/ssialias?htmlfid=899/ENUSLG180083andinfotype=ANandsubtype=CA



C1000-031 PDF Dumps

C1000-031 Practice Test C1000-031 Exam Questions