C1000-056^Q&As

IBM App Connect Enterprise V11 Solution Development

Pass IBM C1000-056 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/c1000-056.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

DRAG DROP

What is the correct order of prerequisite steps to install IBM App Connect Enterprise on IBM Cloud Private?

Select and Place:

Unordered Options

Manually sync the repositories
Log in to the Docker private image registry
Log into the cluster from the IBM Cloud Private CLI
Load the image from the Archive file

Ordered Options

Correct Answer:

Unordered Options

Ordered Options

Log in to the Docker private image registry
Manually sync the repositories
Log into the cluster from the IBM Cloud Private CLI
Load the image from the Archive file

QUESTION 2

Which prerequisite task must be done before encrypting a connection to an MQTT server?

A. Create a connection from the MQTT server to the SSL server.

B. Configure the Security identity property on the MQTT server to use encrypted message flow.

C. Configure the MQTT server to communicate using JMT encryption.

D. Create a truststore and import the MQTT server public certificate into the truststore.

Correct Answer: D

QUESTION 3

Which two IBM App Connect Toolkit methods can help troubleshoot message flows?

A. User Trace

B. Flow Integration Debugger

C. Flow Debugger

D. Java Debugger

E. Flow Exerciser

Correct Answer: CE

QUESTION 4

Which file needs to exist in the directory where the command docker build run?

A. Dockerfile

B. docker.yaml

C. Configfile

D. config.yaml

Correct Answer: A

QUESTION 5

When using a GroupScatter node, which terminal allows logging and debugging of groups?

A. Catch

B. Published

C. Group Created

D. Out

Correct Answer: C

https://www.ibm.com/support/knowledgecenter/SSTTDS_11.0.0/com.ibm.etools.mft.doc/bc04740_ .html

If the Group created terminal is wired, a message is propagated down this terminal, with the detailed group information, after the group has been committed. The purpose of this terminal is to allow logging and debugging of groups.