



C1000-056^{Q&As}

IBM App Connect Enterprise V11 Solution Development

Pass IBM C1000-056 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c1000-056.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The following flow receives order messages on an MQInput node then uses a Compute node to do some processing and sends MQ messages to two warehouses on two different queues.



The compute node routes the message to two MQOutput nodes connected through terminals Out1 and Out using the following ESQL expressions. PROPAGATE TO TERMINAL \\out1; RETURN TRUE;

After deploying the flow, the solution developer noticed that the second queue always receives an empty message. To fix this issue, which ESQL expression lines should be used in the Compute node instead?

- A. PROPAGATE TO TERMINAL \\out; PROPAGATE TO TERMINAL \\out\;
- B. PROPAGATE TO TERMINAL \\out1; DELETE NONE-RETURN TRUE;
- C. RETURN TRUE DELETE NONE; RETURN TRUE; D. PROPAGATE TO TERMINAL \\out1; PROPAGATE; RETURN FALSE;

Correct Answer: D

QUESTION 2

On distributed systems, where must the local queue manager be specified in globally coordinated transactions?

- A. MQ Header
- B. Message Flow
- C. JMS Header
- D. Integration Node

Correct Answer: D

https://www.ibm.com/support/knowledgecenter/en/SSMKHH_10.0.0/com.ibm.etools.mft.doc/ac04_561_.htm



QUESTION 3

When using a GroupScatter node, which terminal allows logging and debugging of groups?

- A. Catch
- B. Published
- C. Group Created
- D. Out

Correct Answer: C

https://www.ibm.com/support/knowledgecenter/SSTTDS_11.0.0/com.ibm.etools.mft.doc/bc04740_.html

If the Group created terminal is wired, a message is propagated down this terminal, with the detailed group information, after the group has been committed. The purpose of this terminal is to allow logging and debugging of groups.

QUESTION 4

In Linux, what kind of syslog messages are reported by IBM App Connect?

- A. err, warn, or user
- B. err, warn, or info
- C. err, alarm, or info
- D. err, warn, or user

Correct Answer: B

QUESTION 5

In order to comply with port binding in 12-Factor App, how many integration servers should exist per container?

- A. 3
- B. 2
- C. 1
- D. Unlimited

Correct Answer: C

[Latest C1000-056 Dumps](#)

[C1000-056 PDF Dumps](#)

[C1000-056 Brindumps](#)