

C1000-065^{Q&As}

IBM Cognos Analytics Developer V11.1.x

Pass IBM C1000-065 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/c1000-065.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/c1000-065.html

2024 Latest passapply C1000-065 PDF and VCE dumps Download

QUESTION 1

Which technique is most likely to improve query performance?

- A. Set the auto-sort property to maximum.
- B. Set the detail aggregation to \\'Calculated\\' for measures.
- C. Avoid functions in filters.
- D. Add more joins between queries.

Correct Answer: B

QUESTION 2

A dashboard developer notices that Age is available in the sourced data module. A request has been made to \\'bucket\\' those age values into 5 groups, Ages 0-6, 7-12, 13-21, 22-55, and 55 and over. How would one define this logic in the source data module?

- A. set range values in the data module
- B. use the Create new table feature
- C. select the Age column, and select Create data group
- D. define a Case..When calculated attribute in the dashboard

Correct Answer: A

QUESTION 3

When using an OLAP data source, summaries that use \\'For\\' clauses give incorrect results. Which best describes the reason for this?

- A. Time state rollups against OLAP data sources are not supported
- B. OLAP data sources do not have detail rows
- C. The \\'For\\' clause does not generate incorrect summaries.
- D. Incorporating context filters using MDX functions is not supported.

Correct Answer: C

QUESTION 4

What is a Cognos Analytics data set?



https://www.passapply.com/c1000-065.html

2024 Latest passapply C1000-065 PDF and VCE dumps Download

- A. The data that is returned from the datasource and displayed within a report, dashboard or exploration.
- B. The Cognos Analytics name for a Python DataFrame in a Jupyter Notebook.
- C. An extract from a package or data module compressed, locally stored and refreshed periodically or manually.
- D. A realtime set of data held in a streaming cache on the Cognos Analytics server.

Correct Answer: C

QUESTION 5

What is the effect of changing the Default measure property of a Crosstab in a report if a measure is already set by one of the existing edges?

- A. the Crosstab values remain the same and the Crosstab comer displays the Default measure\\'s name
- B. the Default measure replaces the existing measure in the Crosstab edges
- C. the Default measure is displayed in the Crosstab intersections
- D. an error is produced

Correct Answer: A

<u>Latest C1000-065 Dumps</u> <u>C1000-065 Exam Questions</u> <u>C1000-065 Braindumps</u>