



C1000-085^{Q&As}

IBM Netezza Performance Server V11.x Administrator

Pass IBM C1000-085 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c1000-085.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two file formats are valid for external tables?

- A. text-delimited
- B. fixed-length
- C. JSON
- D. HL7
- E. XML

Correct Answer: AC

QUESTION 2

Which two commands are used to list all hardware and software components on Cloud Pak for Data System?

- A. ap hw
- B. nzsw
- C. nzhv
- D. ap sw
- E. oc pod -h -s

Correct Answer: AD

QUESTION 3

Which two command line support tools are used to determine the order of data for a given table?

- A. nz_physical_table_layout
- B. nz_zonemap
- C. nz_pagemap
- D. nz_sort_order
- E. nz_get

Correct Answer: BC

QUESTION 4



Which two products or methods can be used for disaster recovery when using IBM Netezza Performance Servers?

- A. Cloud Pak for Data
- B. InfoSphere Data Replication
- C. Netezza Replication Services
- D. Data Serialization
- E. NPS Backup and Restore

Correct Answer: BE

QUESTION 5

When computing the row size for a table row, what overhead should be accounted for?

- A. 48 bytes for ROWID, CREATEXID and DELETExID only
- B. 32 bytes for ROWID, CREATEXID, DELETExID and the null vector
- C. 32 bytes for ROWID, CREATEXID and DELETExID and a variable number of bytes for the null vector if there are nullable columns
- D. 24 bytes for ROWID, CREATEXID and DELETExID plus null vector if there are nullable columns and record header depending on string columns

Correct Answer: A

[Latest C1000-085 Dumps](#)

[C1000-085 PDF Dumps](#)

[C1000-085 Study Guide](#)