

# C1000-091<sup>Q&As</sup>

IBM Cloud Pak for Automation v19.0.3 Administration

## Pass IBM C1000-091 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/c1000-091.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.passapply.com/c1000-091.html

### 2024 Latest passapply C1000-091 PDF and VCE dumps Download

#### **QUESTION 1**

How are the logging levels for the Operational Decision Manager (ODM) containers specified?

- A. Update the trace level in the Decision Center.
- B. Update the ODM Operator, specifying a new configMap.
- C. Update the logging properties in the Liberty console.
- D. Update the logging element in the WebSphere Liberty server.xml

Correct Answer: B

#### **QUESTION 2**

Where is the number of replicas defined for IBM Automation Digital Worker, when high availability is required?

- A. In the route definitions of the Digital Worker
- B. In the worker node configuration
- C. In the secret.yaml file for ADW
- D. In the Custom Resource (CR) definition

Correct Answer: D

 $https://www.ibm.com/support/knowledgecenter/SSYHZ8\_20.0.x/com.ibm.dba.managing/op\_topics/tsk\_adw\_prepare\_fault\_tol.html$ 

#### **QUESTION 3**

Which parameter is used to scale Operational Decision Manager deployments?

- A. nodecount
- B. containercount
- C. replicaCount
- D. podCount

Correct Answer: C

#### **QUESTION 4**

Running the command oc get pods displays the following:



#### https://www.passapply.com/c1000-091.html 2024 Latest passapply C1000-091 PDF and VCE dumps Download

NAME test-pod READY STATUS RESTARTS AGE 1/1 Running 1 20h

Which command is used to run a shell inside the pod?

A. oc telnet test-pod

B. oc rsn test-pod

C. oc terminal test-pod

D. oc shell test-pod

Correct Answer: D

#### **QUESTION 5**

When configuring the plug-in for external share in Business Automation Navigation in a container environment, what should be used in the JAR file path field?

- A. An environment variable specifying the location of the sharePlugin JAR
- B. A relative local directory path to the sharePlugin JAR
- C. An absolute local directory path to the sharePlugin JAR
- D. A URL that points to the sharePlugin JAR

Correct Answer: A

Latest C1000-091 Dumps

C1000-091 PDF Dumps

C1000-091 Braindumps