



# C100DBA<sup>Q&As</sup>

MongoDB Certified DBA Associate Exam (Based on MongoDB 4.4)

## Pass MongoDB C100DBA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c100dba.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by MongoDB  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





#### QUESTION 1

Which of the following is correct about MongoDB?

- A. MongoDB supports geospatial indexes
- B. MongoDB supports some of the SQL functions
- C. MongoDB uses JSON format to represent documents
- D. MongoDB supports collection joins

Correct Answer: A

---

#### QUESTION 2

Consider a collection posts which has fields: Id, post\_text, post\_author, post\_timestamp, post\_tags etc. Which of the following query retrieves ONLY the key named post\_text from the first document retrieved?

- A. `db.posts.findOne({}, {_id:0, post_text:1})`
- B. `db.posts.findOne({post_text: 1})`
- C. `db.posts.find({}, {_id:0, post_text:1})`
- D. `db.posts.findOne?, {post_text:1})`

Correct Answer: A

---

#### QUESTION 3

Which of the following index would be optimum for the query?

Select all valid. `db.test.find( { a : 5, c : 2 } )` A. `db.test.ensureIndex( { c:l, a: 1})`

- B. `db.test.ensureIndex( { a : 1, c: 1, d: 1, b : 1})`
- C. `CH db.test.ensureIndex( { a :1, c:l})`
- D. `db.test.ensureIndex( { a: 1, b :1, c:l, d:l})`

Correct Answer: BC

---

#### QUESTION 4

Which of the following are common uses of the mongo shell? Check all that apply

- A. Perform queries against MongoDB collections



- B. Perform administrative tasks
- C. Use as a JavaScript framework for your production system

Correct Answer: AB

---

#### QUESTION 5

Which of the following is true about aggregation framework?

- A. Each aggregation operator need to return atleast one of more documents as a result
- B. the aggregate command operates on a multiple collection
- C. A single aggregation framework operator can be used more than once in a query
- D. Pipeline expressions are stateless except accumulator expressions used with \$group operator

Correct Answer: ACD

[Latest C100DBA Dumps](#)

[C100DBA Practice Test](#)

[C100DBA Braindumps](#)