



# C100DBA<sup>Q&As</sup>

MongoDB Certified DBA Associate Exam (Based on MongoDB 4.4)

## Pass MongoDB C100DBA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c100dba.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by MongoDB  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

To add a new user and enable authentication in MongoDB, which of the following steps need be executed?

- A. update users collection and restart mongod
- B. All of the above
- C. update users collection and restart mongod with -auth option
- D. update users collection and run db.enableAuthenticationQ

Correct Answer: C

---

#### QUESTION 2

Which of the following about Capped Collections is correct?

- A. Fixed Size
- B. Only "Fixed Size" and "High-throughput operations that insert and retrieve documents based on insertion order"
- C. High-throughput operations that insert and retrieve documents based on insertion order
- D. If the allocated space for a capped collection exceeds, it stops inserting new documents

Correct Answer: B

---

#### QUESTION 3

``$set`` sets the value of

- A. Code block
- B. Name/value pair
- C. Key
- D. None of the above

Correct Answer: C

---

#### QUESTION 4

In order to ensure that you can maintain high availability in the face of server failure, you should implement which of the following?

- A. Sharding



- B. Properly defined user roles
- C. Replication
- D. Put indexes on all of your documents
- E. The proper storage engine

Correct Answer: C

---

#### QUESTION 5

Consider the following document: `> db.c.find()`

```
{ "_id" : 12, b : [ 3, 5, 7, 2, 1, -4, 3, 12 ] }
```

Which of the following queries on the "c" collection will return only the first five elements of the array in the "b" field? E.g.,

Document you want returned by your query: `{ "_id" : 12, "b" : [ 3, 5, 7, 2, 1 ] >`

- A. `db.c.find( { > , { b : { $slice : [ 0 , 5 ] } } } )`
- B. `db.c.find( { b : [ 0 , 5 ] > } )`
- C. `db.c.find( { > , { b : { $substr[ 0 , 5 ] > > } } )`
- D. `db.c.find( { > , { b : [ 0, 1, 2, 3, 4, 5 ] > } } )`
- E. `db.c.find( { > , { b : [ 0 , 5 ] > } } )`

Correct Answer: A

[C100DBA PDF Dumps](#)

[C100DBA Practice Test](#)

[C100DBA Study Guide](#)