



C100DBA^{Q&As}

MongoDB Certified DBA Associate Exam (Based on MongoDB 4.4)

Pass MongoDB C100DBA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c100dba.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by MongoDB
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which mongodb tool is used to report details on number of database operations in MongoDB?

- A. mongorestore
- B. mongostat
- C. mongodump
- D. mongotop

Correct Answer: B

QUESTION 2

The oplog (operations log) is a special capped collection that keeps a rolling record of all operations that modify the data stored in your databases. All the replica set members contain a copy of the oplog in the following collection:

- A. oplog.rs
- B. ..oplog.rs
- C. .oplog.rs
- D. local.oplog.rs

Correct Answer: D

QUESTION 3

Aggregation Pipelines have a limit of:

- A. No limit on document and 100 MB RAM
- B. 2 MB document and no limit on RAM
- C. 2 MB document and 100 MB RAM
- D. 16 MB document and 100 MB RAM

Correct Answer: D

QUESTION 4

Below is a sample document of "orders" collection A. \$project



```
{
  cust_id: "abc123",
  ord_date: ISODate("2012-11-02T17:04:11.102Z"),
  status: 'A',
  price: 50,
  items: [ { sku: "xxx", qty: 25, price: 1 },
    { sku: "yyy", qty: 25, price: 1 } ]
}
```

Select operators for the below query to determine the sum of "qty" for each "cust_id".

```
db.orders.aggregate( [
  { $OPR1: "$items" },
  {
    $OPR2: {
      _id: "$cust_id",
      qty: { $OPR3: "$items.qty" }
    }
  }
] )
OPR3 is
```

Correct Answer: A

QUESTION 5

Which of the following commands will return all the posts with number of likes greater than 100 and less than 200, both inclusive?

- A. db.posts.find({ likes : { \$gte : 100 , \$lte : 200 } });
- B. db.posts.find({ likes : { \$gt : 100 , \$lte : 200 } });
- C. db.posts.find({ likes : { \$gte : 100, \$lt : 200 } });
- D. db.posts.find({ likes : { \$gt : 100, \$lt : 200 > > });

Correct Answer: A

[C100DBA VCE Dumps](#)

[C100DBA Exam Questions](#)

[C100DBA Braindumps](#)