



C2010-825^{Q&As}

Rational DOORS Next Generation

Pass IBM C2010-825 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2010-825.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

What build related activities can a user accomplish using the RTC web client?

- A. Define build scripts
- B. Administer build engines
- C. Request builds and monitor status
- D. Create and modify build definitions

Correct Answer: A

QUESTION 2

A user notices that work items in the release backlog are initially unordered. What must be done to update the ordering?

- A. Move each work item to appropriate swimlane.
- B. Set rank for each work item using drag and drop.
- C. Set priority for each work item and click Reorder.
- D. Promote or demote each work item using action menu.

Correct Answer: C

QUESTION 3

A user would like to set up mandatory attributes. How can this be accomplished?

- A. Set a work item precondition.
- B. Update the work item type's workflow.
- C. Update the permissions for a specific role.
- D. Change a setting on the attribute definition.

Correct Answer: A

QUESTION 4

A developer working in the RTC Eclipse client has changed several files in the loaded workspace and checked them in.



The developer then suspends the changes.

What is the result?

- A. The change set is discarded and the changes permanently removed.
- B. The change set is removed from the workspace, but preserved in the repository.
- C. The change set remains in the Outgoing folder but must be reactivated in order to work with it.
- D. The change set is marked as complete and then flows to the current flow target of the workspace.

Correct Answer: C

QUESTION 5

A developer is working on a task with outgoing change sets in a loaded repository workspace when a manager identifies a new, critical task that must be performed immediately. There are currently no unresolved changes. Without creating another repository workspace, how can the developer safely work on the critical task without losing the pending changes of the initial task?

- A. The user suspends the current change sets and starts working in a new change set.
- B. The user reloads the repository workspace and starts working in a new change set
- C. The user creates a new change set, selects it as the current change set and checks in all changes.
- D. The user loads the repository workspace in a different client and starts working in a new change set.

Correct Answer: B

[C2010-825 VCE Dumps](#)

[C2010-825 Practice Test](#)

[C2010-825 Exam Questions](#)