



C2090-012^{Q&As}

IBM SPSS Modeler Data Analysis for Business Partners v2

Pass home C2090-012 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2090-012.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by home
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


Which node can be used to impute (estimate) missing values?

- A. Data Audit node
- B. Balance node
- C. Filler node
- D. Reclassify node

Correct Answer: A

QUESTION 2

Which is the standard node for displaying the relationship between two continuous variables?



A. Option A



- B. Option B
- C. Option C
- D. Option D

Correct Answer: B

QUESTION 3

Auto checking for invalid values can be done on the Type tab in any Source node.

- A. True
- B. False

Correct Answer: A

QUESTION 4

The SetToFlag node creates separate flag fields for values of a categorical field. It must be followed by an Aggregate node in order to aggregate the flag fields on a grouping field such as transaction records grouped to customer\\'s records.

- A. True
- B. False

Correct Answer: B

QUESTION 5

Given the information below, which node would be used to produce the correlation statistic between the fields off peak_calls and weekend_calls?

Field	Measurement	Values
handset	Nominal	ASAD170,...
churn	Flag	Churned/...
peak_calls	Continuous	[0.0,1725.0]
peak_mins	Continuous	[0.0,2901]
offpeak_calls	Continuous	[0.0,647.0]
offpeak_mins	Continuous	[0.0,1146.0]
weekend_calls	Continuous	[0.0,124.0]
weekend_mins	Continuous	[0.0,205.0]
international_mins	Continuous	[0.0,1014]

- A. Matrix node
- B. Statistics node



C. Histogram node

D. Means node

Correct Answer: B

[Latest C2090-012 Dumps](#)

[C2090-012 VCE Dumps](#)

[C2090-012 Braindumps](#)