



C2090-317^{Q&As}

DB2 11 System Administrator for z/OS

Pass IBM C2090-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2090-317.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Your production DB2 subsystem is up and running, the following message is received:

DSNJ126I - BSDS ERROR FORCED SINGLE BSDS MODE because one of the BSDS volumes is offline.

After the volume is back online, in order to ensure a securely running system, what is the least disruptive scenario to correct this error?

- A. Run the recover BSDS utility.
- B. Issue the -RECOVER BSDS command.
- C. IDCAMS REPRO the correct BSDS VSAM replacing the corrupt BSDS VSAM.
- D. Wait until the next stop and then start the DB2 subsystem to correct the problem.

Correct Answer: C

QUESTION 2

A given buffer pool is to be used for sequentially accessed pages only. Setting which buffer pool attribute to 0 (zero) will disable parallel processing operations in this buffer pool?

- A. DWQT
- B. VDWQT
- C. VPSEQT
- D. VPPSEQT

Correct Answer: D

QUESTION 3

You wish to enforce a system-wide limit on the maximum number of parallel subtasks for utilities REORG TABLESPACE, REBUILD INDEX, CHECK INDEX, UNLOAD, and LOAD, to 16 parallel subtasks per utility execution.

Which action, if any will enforce this limit?

- A. Set subsystem parameter PARAMDEG to 16.
- B. Set subsystem parameter PARAMDEGJJTIL to 16.
- C. Set subsystem parameter INDEX_IO_PARALLELISM to 16.
- D. DB2 does not allow for a system level limit for parallel subtasks in these utilities. The limit can only be specified with the utility keyword PARALLEL n.

Correct Answer: A



QUESTION 4

Which trace can be helpful in determining the resources involved with locking (i.e. deadlocks, timeouts) at a subsystem level?

- A. Statistics trace class 1
- B. Statistics trace class 3
- C. Accounting trace class 1
- D. Accounting trace class 3

Correct Answer: B

QUESTION 5

Having to deal with data inconsistency during a disaster recovery can significantly impact the length of time needed to recover. One of the actions that could be taken to prevent this from occurring is to not take an image copy of a data set that contains inconsistent data.

Which two options can be used to help prevent taking an image copy of inconsistent data?

- A. Run the DIAGNOSE utility before making an image copy.
- B. Run the CHECK DATA utility before making an image copy.
- C. Use the CHECKPAGE option when running the COPY utility.
- D. Prior to making an image copy, run DSN1 COPY with the CHECK option.
- E. At install time, use the DSNTIJIC install job to take a full image copy of the DB2 catalog and directory.

Correct Answer: CD

[Latest C2090-317 Dumps](#)

[C2090-317 PDF Dumps](#)

[C2090-317 Exam Questions](#)