



# C2090-317<sup>Q&As</sup>

DB2 11 System Administrator for z/OS

**Pass IBM C2090-317 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2090-317.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

In an environment with a large amount of dynamic SQL, which subsystem parameter should be adjusted to increase the amount of memory available for caching statements in the global dynamic statement cache?

- A. EDMPOOL
- B. EDMDBDC
- C. MAXKEEPD
- D. EDMSTMTC

Correct Answer: C

---

### QUESTION 2

A member of a DB2 data sharing group (DB2A) has failed and is currently down. After a few minutes the phone starts ringing and people complain that transactions accessing table space TSA (in database DBA) get an SQLCODE -904 because of retained locks held by the member that just abended.

What is the recommended way to resolve this problem?

- A. -START DB(DBA) SP(TSA) ACCESS(FORCE)
- B. Restart the failed DB2 member with the LIGHT(YES) option.
- C. Delete all the failed persistent connections to the lock structure with the SETXCFFORCE,CONNECTION,STRNAME=lock\_strname.CONNAME=ALL command and force the deallocation of the lock structure by issuing SETXCFFORCE,STRUCTURE.STRNAME=lock\_strname
- D. Issue the MODIFY irlmproc.PURGE. DB2A command from an IRLM that is used by a DB2 member that is still running.}

Correct Answer: C

---

### QUESTION 3

Program Authorization does NOT work in which environment?

- A. IMS
- B. CICS
- C. DSN command processor
- D. Programs that run in stored procedure address spaces

Correct Answer: C

---



#### QUESTION 4

Which combination of subsystem parameter values will enable connection pooling for idle distributed database access threads?

- A. Specify subsystem parameter CMTSTAT = ACTIVE and set CONDBAT = MAXDBAT.
- B. Specify subsystem parameter CMTSTAT = INACTIVE and set CONDBAT
- C. Specify subsystem parameter CMTSTAT = ACTIVE and set CONDBAT > MAXDBAT.
- D. Specify subsystem parameter CMTSTAT = INACTIVE and set CONDBAT >MAXDBAT.

Correct Answer: C

---

#### QUESTION 5

You wish to set the maximum allocation of sort storage to 5000 kilobytes for a query that contains an ORDER BY clause.

Which action will accomplish this?

- A. Set subsystem parameter MAXRBLK to 5000.
- B. Set subsystem parameter MAXSORTJNV1MEMORY to 5000.
- C. Issue command-ALTER BUFFERPOOL(BP7) VPSIZE(5000).
- D. DB2 does not allow for user control of this maximum allocation.

Correct Answer: B

[C2090-317 PDF Dumps](#)

[C2090-317 VCE Dumps](#)

[C2090-317 Study Guide](#)