



C2090-317^{Q&As}

DB2 11 System Administrator for z/OS

Pass IBM C2090-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2090-317.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Your production DB2 subsystem is up and running, the following message is received:

DSNJ126I - BSDS ERROR FORCED SINGLE BSDS MODE because one of the BSDS volumes is offline.

After the volume is back online, in order to ensure a securely running system, what is the least disruptive scenario to correct this error?

- A. Run the recover BSDS utility.
- B. Issue the -RECOVER BSDS command.
- C. IDCAMS REPRO the correct BSDS VSAM replacing the corrupt BSDS VSAM.
- D. Wait until the next stop and then start the DB2 subsystem to correct the problem.

Correct Answer: C

QUESTION 2

A given buffer pool is to be used for sequentially accessed pages only. Setting which buffer pool attribute to 0 (zero) will disable parallel processing operations in this buffer pool?

- A. DWQT
- B. VDWQT
- C. VPSEQT
- D. VPPSEQT

Correct Answer: D

QUESTION 3

Which statement is true regarding DB2 definitions for SMF collection?

- A. SMF collection is not required for DB2.
- B. At the minimum, DB2 statistics class 1 trace is required.
- C. At the minimum, DB2 accounting classes 1.2.3 are required.
- D. The SMF subsystem does not have to be active for DB2 to write SMF trace records.

Correct Answer: B

QUESTION 4



A member of a data sharing group is suffering from elongated response times. You suspect that sysplex workload balancing (WLB) is not working properly for the DDF work (not evenly distributing the work among the different members).

What is the simplest way to verify how the DDF threads are distributed amongst the different members?

- A. Execute the -DIS GROUP command.
- B. Execute the -DIS DDF DETAIL command on each member.
- C. Execute the -DIS THDO DETAIL SCOPE(GROUP) command.
- D. Executed the -DIS LOCATION(\) DETAIL command on each member.

Correct Answer: B

QUESTION 5

Which DB2 system table can limit the amount of resources that can be consumed based on client or IP address of the client?

- A. SYSIBM.IPLIST
- B. SYSIBM.IPNAMES
- C. SYSIBM.DSNRLST01
- D. SYSIBM.DSNRLMT01

Correct Answer: D