



C2090-317^{Q&As}

DB2 11 System Administrator for z/OS

Pass IBM C2090-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2090-317.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are facing a severe locking problem with a specific application using plan PLANB. To identify what is going on you need to start a detailed locking trace. However, you want to limit the scope of the trace somewhat to reduce the trace overhead and trace volume. (IFCID 21 traces each lock request and is part of performance trace class 7).

Which is the most appropriate command to use ?

- A. -STA TRA(P) CLASS(7) DEST(GTF) PLAN(PLANB)
- B. -STA TRA(P) CLASS(7) IFCID(21) DEST(GTF) PLAN(PLANB)
- C. -STATRA(P)CLASS(30) IFCID(21) DEST(GTF) PLAN(PLANB)
- D. -STA TRA(P) CLASS(7) IFCID(21) DEST(GTF) XPLAN(PLANB\')

Correct Answer: B

QUESTION 2

Which z/OS or DB2 component is required for stored procedures that run in a WLM-established address space?

- A. Call attachment facility
- B. TSO attachment facility
- C. Distributed data facility
- D. Resource recovery services

Correct Answer: A

QUESTION 3

What will occur if the parameter PAGE PROTECT is set to YES?

- A. MSTR log buffers (OUTBUFF) will be placed in page-protected storage.
- B. IRLM is to load its common storage modules into page-protected storage.
- C. DIST buffers related to TCPIP connectivity are loaded into page-protected storage.
- D. DBM1 pages belonging to a buffer pool defined with PGFIX(YES) will be placed in page-protected

Correct Answer: D

QUESTION 4

You received the following error message:



DSNI012I -DB2A PAGE LOGICALLY BROKEN TYPE 00000302 NAME DBXX.TSYYY.X\\'00045065\\' DBID01B5
OBID0020 PAGE RBA OR LRSN CCA7C9FF11C4 LOG RECORD RBA OR LRSN CCA7C9FF1B78 MODNAME
DSNIOLIN ERQUAL 0000

Which utility be used to obtain more information about what may be triggering this message?

- A. DSN1CHKR
- B. CHECK DATA
- C. DSN1COPY, PARM=\\'CHECK\\'
- D. DIAGNOSE DISPLAY ODB DBXXTSYYY ALL

Correct Answer: D

QUESTION 5

Which utility can be used to reset the copy-pending status?

- A. REPAIR
- B. DSNJU003
- C. DSN1COPY
- D. COPYTOCOPY

Correct Answer: A

[Latest C2090-317 Dumps](#)

[C2090-317 VCE Dumps](#)

[C2090-317 Practice Test](#)