



C2090-320^{Q&As}

Apache Spark 1.6 Developer

Pass IBM C2090-320 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2090-320.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which of the following SELECT statements returns a different data value than the other SQL statements?

- A. SELECT MONTH (CURRENT TIMESTAMP) FROM SYSIBM.SYSDUMMY1;
- B. SELECT EXTRACT(MONTH FROM CURRENT TIMESTAMP) FROM SYSIBM.SYSDUMMY1;
- C. SELECT LPAD(LTRIM(SUBSTR(CHAR(CURRENT TIMESTAMP(10)),6,2),\0\),11,\) FROM SYSIBM.SYSDUMMY1;
- D. SELECT TIMESTAMPDIFF(64, CHAR(CURRENT TIMESTAMP ?TIMESTAMP('2016-01-0100.00.00\')) FROM SYSIBM.SYSDUMMY1;

Correct Answer: D

QUESTION 2

In order to evaluate the real-time relative disorganization of an index, which catalog table would you query?

- A. SYSIBM.SYSINDEXES
- B. SYSIBM.SYSINDEXPART
- C. SYSIBM.SYSINDEXSTATS
- D. SYSIBM.SYSINDEXSPACESTATS

Correct Answer: D

Reference: https://www.ibm.com/support/knowledgecenter/en/SSEPEK_12.0.0/wnew/src/tpc/db2z_cataloghistorytables.html

QUESTION 3

Which of the following statements is TRUE when issuing an SQL ROLLBACK (without SAVEPOINT) statement?

- A. All held LOB locators are retained
- B. All locks that are implicitly acquired during the unit of recovery are retained
- C. All rows and all logical work files of every created temporary table of the application process are deleted
- D. All cursors are closed, all prepared statements are retained, and any cursors that are associated with the prepared statements are invalidated

Correct Answer: D

Reference: https://www.ibm.com/support/knowledgecenter/en/SSEPEK_10.0.0/sqlref/src/tpc/db2z_sql_rollback.html

**QUESTION 4**

Assuming column hire date is a DATE data type, which SQL statement will retrieve the maximum salary (salary) and minimum salary(salary) for each job(job) from EMPLOYEE table for those hired(hiredate) before 1965?

- A.

```
SELECT job, MAX(salary)
FROM employee
WHERE hiredate < 1965-1-1
GROUP BY job
UNION
SELECT job, MIN(salary)
FROM employee
WHERE hiredate < 1965-1-1
GROUP BY job;
```
- B.

```
SELECT job, MAX(salary), MIN(salary)
FROM employee
WHERE hiredate < 1965-1-1
GROUP BY job;
```
- C.

```
SELECT job, MAX(salary), MIN(salary)
FROM employee
WHERE hiredate < '1965-1-1'
GROUP BY job;
```
- D.

```
SELECT job, MAX(salary), MIN(salary)
FROM employee
WHERE hiredate < '1965-1-1'
ORDER BY job;
```

A. B. C. D.

Correct Answer: D

QUESTION 5

Which of the following locking scenarios requires the least amount of real storage in the IRLM address space?

- A. 10 row locks
- B. 200 page locks
- C. A single table space lock
- D. 6 partition locks (given a table space with a total of 10 partitions)



Correct Answer: C

[C2090-320 Study Guide](#)

[C2090-320 Exam Questions](#)

[C2090-320 Braindumps](#)