



C2150-609^{Q&As}

IBM Security Access Manager V9.0 Deployment

Pass IBM C2150-609 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2150-609.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer is migrating from TAM v6.1 running on AIX to IBM Security Access Manager (ISAM) V9.0 hardware appliance.

Which information from the TAM v6.1 environment will be useful in sizing the new ISAM V9.0 hardware configuration?

- A. WebSEAL request logs
- B. WebSEAL CDAS specifics
- C. Number of LDAP replicas
- D. Number of objects in the protected object space

Correct Answer: B

QUESTION 2

A customer wants to utilize the front-end load balancer (FELB) to share requests between Reverse Proxies. A junctioned application requires the actual client IP address to be passed as a header.

Which FELB option must be enabled to pass an x-forwarded-for header?

- A. Layer 7
- B. Layer 4
- C. HTTP Transformation
- D. Network termination

Correct Answer: A

QUESTION 3

A company has deployed an IBM Security Manager V9.0 solution to protect web resources and now wants to secure access to enterprise resources from mobile devices. The security deployment professional needs to run a utility to configure the existing WebSEAL with the instance of the appliance that provides the authorization server for Advanced Access Control.

Which utility tool will perform this configuration?

- A. isamcfg
- B. pdadmin
- C. Web Administration Tool (WAT)
- D. Middleware Configuration Utility



Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/SSPREK_9.0.3/com.ibm.isam.doc/config/concept/con_isamcfg.html

QUESTION 4

An IBM Security Access Manager V9.0 Reverse Proxy has a stateful junction to a Portal application called "/wps" There is no web server in front of Portal. This junction has three Portal servers defined behind it. The Portal team needs to do maintenance on each of the three servers. The team wants to accomplish with least impact to end users.

Which pdadmin "server task" based steps will accomplish this?

- A. Stop a server, have Portal team apply maintenance, bring server online-repeat for the other two servers.
- B. Delete a server, have Portal team apply maintenance then add server back-repeat for the other two servers.
- C. Take a server offline, have Portal team apply maintenance, bring server online- repeat for the other two servers.
- D. Throttle a server, ensure activity has ceased for that server, have Portal team apply maintenance, bring server online-repeat for the other two servers.

Correct Answer: C

QUESTION 5

What method can be used to upload firmware to an IBM Security Access Manager V9.0 virtual appliance?

- A. USB
- B. SCP
- C. FTP
- D. VMware tools

Correct Answer: A

[C2150-609 PDF Dumps](#)

[C2150-609 Practice Test](#)

[C2150-609 Exam Questions](#)