



C5050-062^{Q&As}

Rational UrbanCode Deploy

Pass IBM C5050-062 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c5050-062.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which statement is true about importing files into component versions from the file system?

- A. Component versions can only be imported from the file system via the UCD server process over port 2776.
- B. Component versions can only be imported from the file system using an agent installed on the IBM UrbanCode Deploy server.
- C. Any agent listed in the system settings can be used to import component versions from the file system.
- D. Any agent selected in the file import plug-in can be used to import component versions from the file system.

Correct Answer: D

QUESTION 2

What information does inventory provide?

- A. The inventory shows which application and component processes have been executed.
- B. The inventory shows which agents are disabled.
- C. The inventory shows which applications and components are deployed.
- D. The inventory shows which agents are enabled.

Correct Answer: C

The Inventory system in IBM UrbanCode Deploy tracks what is where and provides visibility into your applications, environments and configuration.

Each resource tracks which versions of various components are currently deployed to it.

References: <https://developer.ibm.com/urbandcode/products/urbandcode-deploy/features/inventory/>

QUESTION 3

How would the user interface for a FileUtils plugin be defined?

- A. using JavaScript that is contained in a FileUtils.ui file, which is referenced from the plugin definition file
- B. Using xml that is contained in the plugin definition file
- C. Using JavaScript that is contained in the plugin definition file
- D. Using xml that is contained in a FileUtils.ui file, which is referenced from the plugin definition file

Correct Answer: B



References: <https://developer.ibm.com/urbandcode/plugindoc/ibmucd/file-utils-plug/31-2/steps/>

QUESTION 4

Which three Linux operating systems are supported for installation of the IBM UrbanCode Deploy server?

- A. Centos
- B. Red Hat Enterprise Linux
- C. Gentoo
- D. SUSE Linux Enterprise Server

Correct Answer: ABD

References: http://www-01.ibm.com/common/ssi/ShowDoc.wss?docURL=/common/ssi/rep_ca/2/897/ENUS216-012/index.html&lang=en&request_locale=en <https://clean-clouds.com/2015/09/02/how-to-installibm-urbandcode-deploy-6-1-1-on-centos/>

QUESTION 5

When a snapshot has versions that are marked incremental or full, what will a deployment process do when it deploys using the snapshot?

- A. Deploy the latest component version
- B. Deploy the first component version
- C. Deploy all versions in sequence from first to latest
- D. Deploy all versions in sequence from latest to first

Correct Answer: C

All version will be deployed, see step 4 below, and the latest version will be deployed last.

After you create a snapshot, you can deploy the snapshot to an environment. Procedure

1.
From the IBM UrbanCode Deploy dashboard, click Applications, and then select an application.
2.
On the application page, click Snapshots, and then select a snapshot. The environments that are defined for the application are listed at the bottom of the Dashboard page.
3.
For the environment where you plan to deploy the snapshot, click the Request Process icon.
- 4.



To deploy component versions whether or not they are already deployed, clear the Only Changed Version check box. By default, the Only Changed Version check box is selected so that only changed versions of components are deployed.

5.

Select the deployment process to run from the Process list.

6.

To run the process in the future, select the Schedule Deployment check box. If you select the Schedule Deployment check box, more fields become available so that you can specify the date and time to run the process, and configure the process to run on a recurring basis.

7.

Click Submit. Unless you scheduled the process to run in the future, the application process starts and deploys the snapshot.

Note: A snapshot is a collection of specific versions of components and processes. Typically, a snapshot represents a set of component versions that are known to work together.

References: https://www.ibm.com/support/knowledgecenter/SS4GSP_6.1.0/com.ibm.udeploy.doc/topics/app_snapshot_deploy.html

[C5050-062 PDF Dumps](#)

[C5050-062 VCE Dumps](#)

[C5050-062 Exam Questions](#)