



# C5050-062<sup>Q&As</sup>

Rational UrbanCode Deploy

## Pass IBM C5050-062 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c5050-062.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What is the correct order of steps for a typical deployment configuration?

- A. Define Application Process; Create component Snapshot; Map Component to Environment; Identify Resource
- B. Define Component and Component Process; Define Application; Configure Environment; Identify Resource
- C. Define Component; Import Version to Component; Define Application Process; Configure Environment; Map Component to Resource
- D. Define Application; Map Component to Recourse; Identify Agent and Environment; Configure Component Process

Correct Answer: B

In outline, deployments are done by performing the following steps:

1.

Define Components

2.

Define Component Processes

3.

Define Application

4.

Configure Environment

5.

Identify Agent

References: [ftp://public.dhe.ibm.com/software/rationalsdp/documentation/product\\_doc/UrbanCode/uDeploy/version\\_4-6/uDeploy\\_WebHelp\\_4-6/content/quickstart\\_chapter.html](ftp://public.dhe.ibm.com/software/rationalsdp/documentation/product_doc/UrbanCode/uDeploy/version_4-6/uDeploy_WebHelp_4-6/content/quickstart_chapter.html)

---

### QUESTION 2

You are integrating IBM UrbanCode Deploy (UCD) with a database in order to perform database deployments. Which statements is true about IBM UCD and the order of the SQL scripts to be executed?

- A. IBM UCD queries the target database to determine the order in which the scripts need to be executed.
- B. The order must be hardcoded into the deployment process.
- C. IBM UCD will only run scripts that have not been executed against a database. The order is irrelevant.
- D. IBM UCD uses a naming convention to determine the order to execute the scripts.




Correct Answer: D

### QUESTION 3

Which security types are used to secure the IBM UrbanCode Deploy server?

- A. Server Configuration and Web UI
- B. Security UI and Application Security
- C. Application Security and DevOps Security
- D. UI Security and DevOps Security

Correct Answer: A



References: [http://www.ibm.com/support/knowledgecenter/en/SS4GSP\\_6.1.3/com.ibm.udeploy.admin.doc/topics/security\\_types.html](http://www.ibm.com/support/knowledgecenter/en/SS4GSP_6.1.3/com.ibm.udeploy.admin.doc/topics/security_types.html)

### QUESTION 4

Which steps are used to create or modify a process by combining plugin steps?


- A. Select the process, then define or edit it using the Design tab of the Process user interface



- B. Select the process, then define or edit it using the Edit tab of the Process user interface.
- C. Select a component, then define or edit its process using the Process tab of the Component user interface.
- D. Select a component, then define or edit its process using the Workflow tab of the Component user interface

Correct Answer: A

In the process editor you organize the steps in a process, specify their properties, and connect them to each other. By combining automation plug-in steps in the process editor, you can create fully automated deployment processes. When you create a process, you drag steps onto the design area and define the properties as you go. Property values can be specified when you define the process or at run time. The process flow is defined by drawing connections between steps. The following illustration, shows a series of automation-type plug-in steps and the connections between them.



Note: A component process is a series of user-defined steps that operate on a component's artifacts. Each component has at least one process and can have several. Component processes are created with the process editor. The process editor is a visual drag-and-drop editor that enables you to drag process steps onto the design space and configure them as you go. Process steps are selected from a menu of standard steps.

References: [http://www.ibm.com/support/knowledgecenter/SS4GSP\\_6.1.3/com.ibm.udeploy.reference.doc/topics/plugin\\_ch.html](http://www.ibm.com/support/knowledgecenter/SS4GSP_6.1.3/com.ibm.udeploy.reference.doc/topics/plugin_ch.html)

## QUESTION 5

You have a complex network topology where an IBM UrbanCode Deploy (UCD) server, the QA environment and the Production environment are all installed in different networks. A firewall is established between them. How can UCD




enable the communication between the agents and the server through the firewall?

- A. There should be a UCD server installed on each network. The servers create a JMS mesh (via ActiveMQ). All servers know about each other. All services are active on each server.
- B. The UCD server can be configured to run agentless, so no agents are required on each network. The network administrator need only make the UrbanCode server accessible in each network.
- C. An UrbanCode agent relay should be installed on each network. The agent relay connects a large group of agents to the server with a single connection, which simplifies firewall rules for communicating across networks.
- D. An agent gateway should be configured in one agent on each network. This agent will act as a proxy for all communication between the agents on the same network and the server.

Correct Answer: C

You must ensure that servers, agents, and other systems can connect to each other through your networks and firewalls.

The following diagram shows the main default ports that are involved in communication between agents, agent relays, and the server. If your agents connect to the server through an agent relay, you must configure your networks and firewalls to allow the following communication.



References: [http://www.ibm.com/support/knowledgecenter/SS4GSP\\_6.2.1/com.ibm.udeploy.install.doc/topics/agent\\_firewalls.html](http://www.ibm.com/support/knowledgecenter/SS4GSP_6.2.1/com.ibm.udeploy.install.doc/topics/agent_firewalls.html)