



C7010-010^{Q&As}

IBM Cúram V6.0.4 Application Development

Pass IBM C7010-010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c7010-010.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following are valid subdirectories of a server component directory?

- A. model
- B. codetable
- C. database
- D. EJBserver
- E. message

Correct Answer: ABE

QUESTION 2

Which of the following entity stereotypes require the user to specify input parameters when modeling?

- A. nkread
- B. nkmodify
- C. readmulti
- D. nsinsert
- E. nsremove

Correct Answer: CDE

QUESTION 3

Which of the following are valid ways to enforce that a value be mandatory for a given attribute?

- A. Write custom logic at method level in the Java class
- B. Configure the Require_Mandatory property of the entity's attribute to be set to true
- C. Specify the name of the field in the Mandatory_Fields property of the modeled operation's argument struct
- D. Write a custom Java function to check for a value being present and specify the function on the Custom_Validation_Function_Name property of the relevant Domain Definition

Correct Answer: AC

QUESTION 4



Attribute 1	Attribute 2	Attribute 3	
First	Second	Third	
Fourth	Fifth	Sixth	
Seventh	Eighth	Ninth	

View
Edit
Remove

Which of the following pieces of UIM could be used to create this page section?



C A.

```
<LIST>
  <FIELD LABEL="Field.Title.SampleAttribute1">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeOne"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute2">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeTwo"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute3">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeThree"/>
    </CONNECT>
  </FIELD>
  <ACTION_SET TYPE="LIST_ROW_MENU">
    <ACTION_CONTROL LABEL = "ActionControl.View">
      <LINK PAGE_ID="SampleReadPage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL = "ActionControl.Edit">
      <LINK PAGE_ID="SampleEditPage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL = "ActionControl.Remove">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </ACTION_CONTROL>
  </ACTION_SET>
</LIST>
```



C B.

```
<LIST>
  <FIELD LABEL="Field.Title.SampleAttribute1">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeOne"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute2">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeTwo"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute3">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeThree"/>
    </CONNECT>
  </FIELD>
  <ACTION_SET TYPE="LIST_ROW_MENU">
    <LINK LABEL="ActionControl.View" PAGE_ID="SampleReadPage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </LINK>
    <LINK LABEL="ActionControl.Edit" PAGE_ID="SampleEditPage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </LINK>
    <LINK LABEL="ActionControl.Remove" PAGE_ID="SampleConfirmRemovePage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </LINK>
  </ACTION_SET>
</LIST>
```




CC

```
<LIST>
  <FIELD LABEL="Field.Title.SampleAttribute1">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeOne"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute2">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeTwo"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute3">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeThree"/>
    </CONNECT>
  </FIELD>
  <CONTAINER TYPE="LIST_ROW_MENU">
    <ACTION_CONTROL LABEL="ActionControl.View">
      <LINK PAGE_ID="SampleReadPage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL="ActionControl.Edit">
      <LINK PAGE_ID="SampleEditPage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL="ActionControl.Remove">
      <LINK PAGE_ID="SampleConfirmRemovePage">
        <CONNECT>
          <SOURCE NAME="DISPLAY" PROPERTY="id" />
          <TARGET NAME="PAGE" PROPERTY="id" />
        </CONNECT>
      </LINK>
    </ACTION_CONTROL>
  </CONTAINER>
</LIST>
```



C D.

```
<LIST>
  <FIELD LABEL="Field.Title.SampleAttribute1">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeOne"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute2">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeTwo"/>
    </CONNECT>
  </FIELD>
  <FIELD LABEL="Field.Title.SampleAttribute3">
    <CONNECT>
      <SOURCE NAME="DISPLAY" PROPERTY="attributeThree"/>
    </CONNECT>
  </FIELD>
  <ACTION_SET TYPE="LIST_ROW_MENU">
    <ACTION_CONTROL LABEL="ActionControl.View" LINK_TO="SampleReadPage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL="ActionControl.Edit" LINK_TO="SampleEditPage">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </ACTION_CONTROL>
    <ACTION_CONTROL LABEL="ActionControl.Remove" LINK_TO="SampleConfirmRemovePa">
      <CONNECT>
        <SOURCE NAME="DISPLAY" PROPERTY="id" />
        <TARGET NAME="PAGE" PROPERTY="id" />
      </CONNECT>
    </ACTION_CONTROL>
  </ACTION_SET>
</LIST>
```

- A. Exhibit A
- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

Correct Answer: A

QUESTION 5



Which three of the following entity stereotypes require the user to specify input parameters when modeling? [Select 3]

- A. nkread
- B. nkmodify
- C. nkreadmulti
- D. nsinsert
- E. nsremove
- F. readmulti

Correct Answer: DEF

[Latest C7010-010 Dumps](#)

[C7010-010 Study Guide](#)

[C7010-010 Braindumps](#)