

# C7010-010<sup>Q&As</sup>

IBM Cúram V6.0.4 Application Development

# Pass IBM C7010-010 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/c7010-010.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





#### **QUESTION 1**

When customizing a Codetable (CTX) file in Cúram, which of the following statements are true?

A. To add a new entry to a code table, create a new CTX file in the custom directory with the same name as the existing CTX and add the new entry

B. To change an entry in a code table, copy the existing file to the appropriate custom directory, append custom\_ to the code name, and insert the new code value

C. To remove an entry from a code table, copy the existing file to the appropriate custom directory and remove the entry in question

D. To change an entry in a code table, create a new CTX file in the custom directory with the same name as the existing CTX, copy the code table item from the existing CTX, and make any required changes to the copy

E. Custom codes are appended to the end of the corresponding, existing code table

Correct Answer: AD

# **QUESTION 2**

Review the Screenshot presented.

Home Administration Workspace	Inbox	Calendar	
Shortcuts		Midway Social Welfare Organization X	
Sample		Midway Social Welfare Organization	
Users		Name	Midway Social Welfare Organizat
Organization		Phone Number	
New User New Announcement		Tax Number	1234567890
		Description	Social Welfare Organization
My Organization		Home	ts Structures Calendar Jobs
		Home	
		Name	Midway Social Welfare Organization 🗭
		Tax Number	1234567890
		Registration Number	1234568790
		Description	
		My Organisation's desc 📯	



What type of application navigation element can be expected to correspond with the element highlighted by the red box?

- A. Selection
- B. Menu
- C. Tab
- D. Navigation
- E. Shortcut-Tab

Correct Answer: B

#### **QUESTION 3**

The Curam page shown here is configured to allow the developer to identify which action control was selected when the user clicks either button.

Confirmation	? ×
Are you sure?	÷
Yes	No

Which of the following pieces of UIM could be used to do this?



CA.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
       </CONNECT>
    </PAGE TITLE>
    <SERVER INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</pre>
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION ID PROPERTY="selection"/>
    <CLUSTER TITLE="Cluster.Title.Agreement">
        <ACTION SET TOP="false" ALIGNMENT="CENTER">
            <ACTION CONTROL LABEL="ActionControl.Label.Yes"
            TYPE="SUBMIT" ACTION ID="selection"/>
            <ACTION CONTROL LABEL="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="selection"/>
            <ACTION CONTROL LABEL="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="selection"/>
        </ACTION SET>
    </CLUSTER>
```

</PAGE>



# СB.

CC.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
        </CONNECT>
    </PAGE TITLE>
    <SERVER_INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</pre>
    NAME="CheckAgreementBean" PHASE="ACTION" ACTION ID PROPERTY="selection"/>
    <CLUSTER TITLE="Cluster.Title.Agreement">
        <ACTION SET TOP="false" ALIGNMENT="CENTER">
            <ACTION CONTROL LABEL="ActionControl.Label.Yes"
            TYPE="SUBMIT" ACTION ID="agree"/>
            <ACTION CONTROL LABEL="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="disagree"/>
        </ACTION SET>
    </CLUSTER>
</PAGE>
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
        </CONNECT>
    </PAGE TITLE>
    <SERVER INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</pre>
   NAME="CheckAgreementBean" PHASE="ACTION" />
    <CLUSTER TITLE="Cluster.Title.Agreement">
        <ACTION SET TOP="false" ALIGNMENT="CENTER">
            <ACTION CONTROL LABEL="ActionControl.Label.Yes"
            TYPE="SUBMIT" ACTION ID="agree"/>
            <ACTION CONTROL LABEL="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="disagree"/>
        </ACTION SET>
    </CLUSTER>
```

</PAGE>



CD.

```
<?xml version="1.0" encoding="UTF-8"?>
<PAGE PAGE ID="PersonDemo agree"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="file://Curam/UIMSchema.xsd">
    <PAGE TITLE>
        <CONNECT>
            <SOURCE NAME="TEXT" PROPERTY="PageTitle.StaticText"/>
        </CONNECT>
    </PAGE TITLE>
    <SERVER INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</pre>
   NAME="CheckAgreementBean" PHASE="ACTION" ACTION ID PROPERTY="Yes"/>
    <SERVER INTERFACE OPERATION="checkAgreement" CLASS="MaintainPerson"</pre>
   NAME="CheckAgreementBean" PHASE="ACTION" ACTION ID PROPERTY="No"/>
    <CLUSTER TITLE="Cluster.Title.Agreement">
        <ACTION SET TOP="false" ALIGNMENT="CENTER">
            <ACTION CONTROL LABEL="ActionControl.Label.Yes"
            TYPE="SUBMIT" ACTION ID="agree"/>
            <ACTION CONTROL LABEL="ActionControl.Label.No"
            TYPE="SUBMIT" ACTION ID="disagree"/>
        </ACTION SET>
    </CLUSTER>
</PAGE>
```

A. Exhibit A

- B. Exhibit B
- C. Exhibit C
- D. Exhibit D

Correct Answer: B

# **QUESTION 4**

Suppose that a new Process class has been created in a model and a build generated command is performed. What needs to be done next?

A. Implement the methods in the generated impl version of the class.

- B. Copy the generated impl class from the build/svr/gen/temp folder into the impl package.
- C. Create a new class in the impl package.



D. Implement the modeled methods in the base class.

Correct Answer: C

### **QUESTION 5**

Which of the following statements about handcrafted service layer classes is true?

- A. Google Guice dispatches events to listeners
- B. The Persistence Infrastructure (PI) Adapter is used to translate high-level data requests to entity operations
- C. The Entity Interface provides search (read-multi) operations
- D. Entity classes are not modeled, as they are provided by the Entity Interface

Correct Answer: B

Latest C7010-010 Dumps C7010-010 Practice Test C7010-010 Exam Questions