



# C9010-022<sup>Q&As</sup>

IBM AIX Administration V1

**Pass IBM C9010-022 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9010-022.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which of the following commands will display the current dump device settings?

- A. lscfg-d
- B. lsdump -d
- C. sysdump -v
- D. sysdumpdev-l

Correct Answer: D

---

#### QUESTION 2

An administrator changed an NFS mount point to read/write capability by adding the -rw option in /etc/exports. Clients are still unable to write to the Network File System. How can this be resolved?

- A. Run the exportfs -a command on the NFS server.
- B. Issue the refresh -g nfs command on the NFS server.
- C. Unmount and mount the NFS file system on the NFS server.
- D. Use the mount -o rw command on the NFS filesystem on the NFS server.

Correct Answer: A

---

#### QUESTION 3

Which command, when issued from the HMC command line, will attempt to launch a virtual terminal session on lpar1, running on the sys1 managed system?

- A. mkvterm-msys1 -p lpar1
- B. crvterm-ssysy -r lpar1
- C. startvt-h sys1 -l lpar1
- D. startx-vt sys1 -p lpar1

Correct Answer: A

---

#### QUESTION 4

A customer has plugged a notebook into the HMC1 port of a brand new POWER8 server. The customer is attempting to get to the ASMI menu.



Why is nothing being displayed on the notebook?

- A. The notebook is not set up to accept a DHCP address from the service processor.
- B. The notebook is configured for IPv4 and the service processor only communicates via IPv6.
- C. The notebook is not on the same subnet as the service processor.
- D. The notebook needs to be plugged into the HMC2 port for the ASMI menu to be displayed on the notebook.

Correct Answer: B

---

#### QUESTION 5

One disk within a mirrored rootvg volume group failed and was replaced. What is the first action the administrator must take after re-establishing mirroring?

- A. Create the boot image on the replaced disk.
- B. Recreate `/dev/ipldevice`.
- C. Re-enable volume group quorum.
- D. Copy `/dev/hd5` to the new disk.

Correct Answer: A

[C9010-022 PDF Dumps](#)

[C9010-022 VCE Dumps](#)

[C9010-022 Exam Questions](#)