



# C9010-030<sup>Q&As</sup>

IBM i Administration V1

**Pass IBM C9010-030 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9010-030.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which PTF type contains newly released PTFs that resolve severe issues that can impact IBM i operations?

- A. Immediate
- B. Cumulative
- C. HIPER
- D. Prerequisite

Correct Answer: C

---

### QUESTION 2

An administrator needs to back up changes to a large physical file that is always exclusively locked by an application. These changes need to be sent to another IBM i system.

Which option will allow the administrator to send the changes in the least amount of time?

- A. Use the SAVCHGOBJ command to save the file to a SAVF and FTP to the other system.
- B. Use local journaling to journal file changes and save them to the other system.
- C. Use remote journaling to journal file changes to the other system.
- D. Use the SAVLIB command to save the file to a SAVF and FTP to the other system.

Correct Answer: C

---

### QUESTION 3

An administrator is recovering a single image system after a crash. The administrator has placed the latest SAVSYS into the external SAS TS2900 LTO tape drive and performed a D-Mode IPL.

Why is the system failing to find the SAVSYS media?

- A. The TS2900 is an alternate installation device and requires an I\_BASE\_01 DVD in the alternate IPL device.
- B. The TS2900 requires Alternate IPL Enablement feature to boot the SAVSYS.
- C. The I\_BASE\_01 DVD must be loaded up to SST before a SAS tape device is recognized.
- D. The TS2900 is an alternate IPL device but not an alternate installation device.

Correct Answer: D

---



#### QUESTION 4

What is required to restore a Hardware Management Console (HMC) to the last working configuration?

- A. The last HMC back up performed via Back Up Management Console Data task
- B. Recovery DVDs and the last HMC back up performed via Save Upgrade Data task
- C. The last HMC back up performed via Save Upgrade Data task
- D. Recovery DVDs and the last HMC back up performed via Back Up Management Console Data task

Correct Answer: A

---

#### QUESTION 5

What does this display from a WRKSYSSTS screen tell the administrator about the system?

```
System ASP . . . . . : 6209 G
% system ASP used . . : 79.8129
Total . . . . . : 6209 G
Current temporary used : 316276 M
Peak temporary used . : 350032 M
```

- A. Temporary storage is taking up a large proportion of the disk space.
- B. A disk in the disk unit subsystem has failed or is being rebuilt.
- C. Auxiliary storage is not protected on the system.
- D. Auxiliary storage capacity has exceeded the default threshold level.

Correct Answer: B

[Latest C9010-030 Dumps](#)

[C9010-030 PDF Dumps](#)

[C9010-030 Study Guide](#)