



C9060-528^{Q&As}

IBM Spectrum Protect V8.1 Administration

Pass IBM C9060-528 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9060-528.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

How can an administrator determine when the IBM Spectrum Protect server database backup starts?

- A. Configure IBM Spectrum Protect to send a page when the backup database begins
- B. Configure IBM Spectrum Protect to pop up a display when the backup database begins
- C. Configure IBM Spectrum Protect to play a sound when the backup database begins
- D. Configure IBM Spectrum Protect to send an e-mail alert when the backup database begins

Correct Answer: D

QUESTION 2

When the size of the active log is increased in the dsmserv.opt, which action is necessary to make the additional space available for use?

- A. Run a database backup
- B. Set archlogcompress to yes
- C. Perform a manual reorganization of the server's database
- D. Halt and restart the server

Correct Answer: C

QUESTION 3

Which command displays deduplication ratio statistics for single client sessions?

- A. QUERY SESSION
- B. QUERY DEDUPRATIO
- C. QUERY DSMSCHED
- D. QUERY ACTLOG

Correct Answer: B

QUESTION 4

The use of deduplication processing in deduplication type storage pools requires more of which IBM Spectrum Protect server resource?

- A. IBM Spectrum Protect server memory



- B. IBM Spectrum Protect client memory
- C. TCP/IP bandwidth between the client and the server
- D. IBM Spectrum Protect client sessions

Correct Answer: A

QUESTION 5

What are the correct steps for moving the database to new directories?

- A. stop the server, create the new directories, restart the server from the newly created directories
- B. back up database, create new directories, remove the database, and restore the database with option ON
- C. back up database, create new directories, and restore the database with option REPLACE
- D. stop the server, create new directories, move files from old location to the new location, and restart the server

Correct Answer: B

DSMSERV RESTORE DB (Restore a database to a point-in-time) command is used to restore a database to a point in time. A volume history file and a device configuration file must be available.

The option On specifies a file that lists the directories to which the database is restored.

References: https://www.ibm.com/support/knowledgecenter/en/SSEQVQ_8.1.2/srv.reference/r_cmd_dsmserv_restore_db_pit.html

[Latest C9060-528 Dumps](#)

[C9060-528 Exam Questions](#)

[C9060-528 Braindumps](#)