



C9060-528^{Q&As}

IBM Spectrum Protect V8.1 Administration

Pass IBM C9060-528 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9060-528.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the purpose of the following command on the source server for the node named Lapis? `VALIDATE REPLICATION LAPIS VERIFYCONNECTION=YES`

- A. It validates the domain name used for the node and verifies the communication method being used between the source and target servers.
- B. It validates the replication configuration and verifies that the source replication server can communicate with the target replication server.
- C. It validates the date and time that node was last replicated and that it has a connection with the source server.
- D. It validates and activates the policyset that is used for the node that is being replicated and verifies that the server name and server password are valid.

Correct Answer: B

Reference: https://www.ibm.com/support/knowledgecenter/en/SSGSG7_7.1.6/srv.reference/r_cmd_replication_validate.html

QUESTION 2

Which command sets the randomization setting in order that clients are assigned start times that are randomly scattered across the first half of each startup window?

- A. `SET SCHEDRANDOMIZE 50`
- B. `UPDATE RANDOMIZE 50`
- C. `SET SCHEDULE RANDOMIZE 50`
- D. `SET RANDOMIZE 50`

Correct Answer: D

Use the `SET RANDOMIZE` command to set randomized start times within the startup window of each schedule for clients by using the client-polling scheduling mode.

Syntax Read syntax diagramSkip visual syntax diagram >>-Set RANDomize--percent-

References: https://www.ibm.com/support/knowledgecenter/en/SSGSG7_7.1.6/srv.reference/r_cmd_randomize_set.html

QUESTION 3

To which policy type definition does the following sample policy retention information apply?



Policy Domain Name	Policy Set Name	Mgmt Class Name	Copy Group Name	Versions Data Exists	Versions Data Deleted	Retain Extra Versions	Retain Only Version
SERVER	SERVER	DATA	STANDARD	3	1	100	100
SERVER	SERVER	DIRECTORY	STANDARD	No Limit	No Limit	100	100
SERVER	SERVER	IMAGE	STANDARD	3	3	120	120
SERVER	SERVER	SPECIAL	STANDARD	3	1	100	100

- A. archive copygroup
- B. backup copygroup
- C. backup and archive copygroups
- D. space management copygroup

Correct Answer: B

References: https://www.ibm.com/support/knowledgecenter/en/SSEQVQ_8.1.0/srv.reference/r_cmd_copygroup_query.html

QUESTION 4

Which option in the dsmserv.opt specifies the location of the active log directory?

- A. ACTIVELOGDIRECTORY
- B. ARCHFAILOVERLOGDIRECTORY
- C. ACTLOGDIRECTORY
- D. ARCHIVELOGDIRECTORY

Correct Answer: A

ACTIVELOGDIRECTORY The new directory for the location where the active log is stored. Use this option to change the location of the active log.

References: IBM Spectrum Protect for Windows Version 8.1.0, Administrator's Reference, p 1571

QUESTION 5

The use of deduplication processing in deduplication type storage pools requires more of which IBM Spectrum Protect server resource?

- A. IBM Spectrum Protect server memory



- B. IBM Spectrum Protect client memory
- C. TCP/IP bandwidth between the client and the server
- D. IBM Spectrum Protect client sessions

Correct Answer: A

[C9060-528 VCE Dumps](#)

[C9060-528 Practice Test](#)

[C9060-528 Study Guide](#)