



C9510-317^{Q&As}

IBM WebSphere Application Server Network Deployment V8.0 Core Administration

Pass IBM C9510-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9510-317.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

A system administrator needs to create a new standalone WebSphere application server profile on . All previous WebSphere installations have been on . What should the administrator do to prevent a port conflict with this new server?

- A. Execute the pmt script from a remote machine.
- B. Execute the Profile Management Tool from
- C. Edit the server.xml file on to change ports.
- D. Look for running processes on using port 9080

Correct Answer: B

QUESTION 2

A system administrator needs to identify the performance of a database application and JDBC connection pool, CPU usage time and response time. Which tools should the administrator use to get this data?

- A. Client program
- B. Request metrics
- C. Custom Java code
- D. Heap dump analyzer
- E. Performance Monitoring Infrastructure (PMI)

Correct Answer: BE

QUESTION 3

A mixed version and flexible management topology is required for a new application. For ease of administration, the system administrator needs to register a WebSphere V7.0 stand-alone node with a WebSphere V8.0 job manager. What must the administrator do before registering with the job manager?

- A. federate the V7.0 stand-alone node with a V7.0 node agent
- B. federate the V7.0 stand-alone node with a V8.0 node agent
- C. register the V7.0 stand-alone node with a V7.0 administrative agent
- D. register the V7.0 stand-alone node with a V8.0 administrative agent



Correct Answer: C

QUESTION 4

A system administrator has enabled the HPEL mode on an application server, but has disabled the HPEL text log to improve performance.

How can the administrator view only the messages that were streamed to System.out and System.err by a single server thread?

- A. Use a text editor to open a log file in the server\\'s logdata directory, and search for the thread ID.
- B. Use the Log Analyzer to import the SystemOut.log file for the server and search on the thread ID.
- C. Use the Integration Solutions Console (ISC) Log Viewer to select a thread and then click the "Show Only Selected Threads" button.
- D. Use the Integration Solutions Console (ISC) Log Viewer\\'s filtering section to search for the string "Thread ID*" in the message content field.

Correct Answer: C

QUESTION 5

Several unmanaged application server profiles (nodes) are hosted on the same machine. The administrator needs to add these nodes to a flexible management topology. Which command should the administrator execute?

- A. registerNode -profilePath
- B. manageProfiles -augment
- C. managesdk -enableProfile
- D. addNode -asExistingNode

Correct Answer: A

[Latest C9510-317 Dumps](#)

[C9510-317 VCE Dumps](#)

[C9510-317 Braindumps](#)