



# C9510-317<sup>Q&As</sup>

IBM WebSphere Application Server Network Deployment V8.0 Core Administration

**Pass IBM C9510-317 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9510-317.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A system administrator has made an unintended configuration change in the Integrated Solutions Console (ISC). Before committing the changes, the administrator was logged- out due to the timeout restriction. After logging back in, how can the administrator discard the uncommitted changes made in the previous session?

- A. Click the "Review" link on the Messages area.
- B. Click the "Discard" button on the Save window.
- C. Select the "Work with the master configuration" choice.
- D. Choose the "Recover changes made in the prior session" option.

Correct Answer: C

---

### QUESTION 2

An application is deployed to a WebSphere Application Server ND V8.0 cluster consisting of four cluster members.

Assuming the cluster is stopped, what should a system administrator do to delete the cluster?

- A. Delete the cluster.
- B. Remove the cluster members and delete the cluster.
- C. Uninstall the application and delete the cluster.
- D. Uninstall the application, remove the cluster members and delete the cluster.

Correct Answer: A

---

### QUESTION 3

A system administrator needs to modify the Java 2 security permissions for applications running on a server. How should the administrator perform this task?

- A. Use the PolicyTool.
- B. Use the iKeyman tool.
- C. Edit the was.policy file.
- D. Edit the security.xml file.

Correct Answer: A

---



#### QUESTION 4

A system administrator needs to add a business capability to an enterprise application (EAR). The capability is an OSGi bundle distributed as a separate Java archive (JAR) by a third-party application provider. How should the administrator do this?

- A. Deploy EAR and define the JAR as a shared library reference.
- B. Include JAR in EAR's lib directory and deploy the modified EAR.
- C. Create a business-level application (BLA) with the EAR and the JAR.
- D. Modify the EAR deployment descriptor's library-directory to include the directory with the JAR.

Correct Answer: C

---

#### QUESTION 5

A system administrator needs to create a resource that can be used exclusively by applications running on a specific node.

What configuration setting can be used to limit the visibility of this resource to users on that node?

- A. scope
- B. JNDI name
- C. node group
- D. authorization group

Correct Answer: A

[Latest C9510-317 Dumps](#)

[C9510-317 PDF Dumps](#)

[C9510-317 VCE Dumps](#)