



C9510-317^{Q&As}

IBM WebSphere Application Server Network Deployment V8.0 Core Administration

Pass IBM C9510-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9510-317.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Several unmanaged application server profiles (nodes) are hosted on the same machine. The administrator needs to add these nodes to a flexible management topology. Which command should the administrator execute?

- A. registerNode -profilePath
- B. manageProfiles -augment
- C. managesdk -enableProfile
- D. addNode -asExistingNode

Correct Answer: A

QUESTION 2

A system administrator configures the intelligent runtime provisioning feature included with WebSphere Application Server Network Deployment V8.0. The default WebSphere settings are in place. At what level will the administrator enable runtime provisioning?

- A. node agent
- B. web container
- C. application server
- D. deployment manager

Correct Answer: C

QUESTION 3

A system administrator has successfully installed the WebSphere Application Server Network Deployment core product. The administrator then attempts to start server1, and it fails to start. On initial inspection, the administrator finds that the profiles directory is empty.

What should the administrator do next?

- A. Start the node agent for server1.
- B. Inspect the SystemOut.log file of server1.
- C. Run the Installation Verification Tool (IVT).
- D. Run the WebSphere Customization Toolbox.



Correct Answer: D

QUESTION 4

A system administrator needs to create a resource that can be used exclusively by applications running on a specific node.

What configuration setting can be used to limit the visibility of this resource to users on that node?

- A. scope
- B. JNDI name
- C. node group
- D. authorization group

Correct Answer: A

QUESTION 5

A system administrator has enabled the HPEL mode on an application server, but has disabled the HPEL text log to improve performance.

How can the administrator view only the messages that were streamed to System.out and System.err by a single server thread?

- A. Use a text editor to open a log file in the server\\'s logdata directory, and search for the thread ID.
- B. Use the Log Analyzer to import the SystemOut.log file for the server and search on the thread ID.
- C. Use the Integration Solutions Console (ISC) Log Viewer to select a thread and then click the "Show Only Selected Threads" button.
- D. Use the Integration Solutions Console (ISC) Log Viewer\\'s filtering section to search for the string "Thread ID*" in the message content field.

Correct Answer: C

[Latest C9510-317 Dumps](#)

[C9510-317 PDF Dumps](#)

[C9510-317 Exam Questions](#)