



C9510-317^{Q&As}

IBM WebSphere Application Server Network Deployment V8.0 Core Administration

Pass IBM C9510-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9510-317.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A system administrator needs to modify the plug-in configuration file. Which utility should the administrator use?

- A. GenPluginCfg script
- B. IBM Installation Manager
- C. WebSphere Customization Toolbox (WCT)
- D. Embedded WebSphere Customization Toolbox (WCT)

Correct Answer: C

QUESTION 2

A system administrator needs to add a business capability to an enterprise application (EAR). The capability is an OSGi bundle distributed as a separate Java archive (JAR) by a third-party application provider. How should the administrator do this?

- A. Deploy EAR and define the JAR as a shared library reference.
- B. Include JAR in EAR's lib directory and deploy the modified EAR.
- C. Create a business-level application (BLA) with the EAR and the JAR.
- D. Modify the EAR deployment descriptor's library-directory to include the directory with the JAR.

Correct Answer: C

QUESTION 3

A system administrator needs to use wsadmin to execute commands interactively. The WebSphere cell has global security enabled. To avoid the security login dialog when executing wsadmin, the administrator should:

- A. edit the sas.client.props file.
- B. edit the wsadmin.properties file.
- C. use the argument -user .
- D. login in to the local operating system (local OS) with an administrator user id.

Correct Answer: A

**QUESTION 4**

A system administrator needs to backup a WebSphere Application Server profile without disrupting normal operations. How can the administrator accomplish this?

- A. Execute `backupConfig.sh -nostop -profileName`
- B. Execute `prnt.sh -nostop -backupProfile -profileName`
- C. Execute `manageprofiles.sh -nostop -backupProfile -profileName`
- D. Use the administrative agent to configure a backup job without stopping the server.

Correct Answer: A

QUESTION 5

The system administrator needs to generate a report of data sources for a WebSphere cell. To do so, the administrator should:

- A. parse the `genVersionReport` to list data sources.
- B. configure a monitored directory to capture this data.
- C. create a script by using the JDBC query scripts as examples.
- D. use the Integrated Solutions Console (ISC) to generate a data source report.

Correct Answer: C

[Latest C9510-317 Dumps](#)

[C9510-317 Study Guide](#)

[C9510-317 Braindumps](#)