



C9510-317^{Q&As}

IBM WebSphere Application Server Network Deployment V8.0 Core Administration

Pass IBM C9510-317 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9510-317.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

A system administrator must configure IBM WebSphere Application Server Network Deployment V8.0 to authenticate users with a Windows domain. The administrator should configure a registry that is:

- A. a local operating system (OS).
- B. a Virtual Member Manager (VMM).
- C. a registry that implements WebSphere Common Configuration Model (WCCM).
- D. an Active Directory (AD) domain controller.

Correct Answer: A

QUESTION 2

A Java EE application is deployed to a horizontal cluster and makes use of HTTP session objects. The administrator is required to ensure failover of these session objects, and chooses to implement memory-to-memory replication. To maximize chances of successful failover, how should the administrator configure the replication?

- A. Select Entire domain for the number of replicas.
- B. Select Single replica and select the default tuning parameter.
- C. Select Single replica and select "Very high" for the tuning parameter.
- D. Specify at least 3 replicas and select "Very high" for the tuning parameter.

Correct Answer: A

QUESTION 3

A system administrator needs to use wsadmin to execute commands interactively. The WebSphere cell has global security enabled. To avoid the security login dialog when executing wsadmin, the administrator should:

- A. edit the sas.client.props file.
- B. edit the wsadmin.properties file.
- C. use the argument -user .
- D. login in to the local operating system (local OS) with an administrator user id.

Correct Answer: A



QUESTION 4

In a network deployment cell, web users are prompted several times to authenticate.

What should the administrator do so that the users only need to authenticate once during a session?

- A. Configure an authentication proxy server in the DMZ.
- B. Enable the "Set security cookies to HTTPOnly" property for the global single sign-on configuration.
- C. Enable single sign-on for the global security configuration and provide the necessary DNS domain names.
- D. Increase the default LTPA timeout and the cache timeout values for forwarded credentials between servers.

Correct Answer: C

QUESTION 5

A system administrator is creating a new WebSphere cell consisting of three dedicated machines: ?web server ?deployment manager ?application server node To provide process level failover, the administrator should create a cluster with:

- A. no scaling
- B. vertical scaling
- C. horizontal scaling
- D. horizontal and vertical scaling

Correct Answer: B

[Latest C9510-317 Dumps](#)

[C9510-317 VCE Dumps](#)

[C9510-317 Braindumps](#)