

# C9510-319<sup>Q&As</sup>

IBM WebSphere Application Server Developer Tools V8.5 with Liberty Profile

# Pass IBM C9510-319 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/c9510-319.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.passapply.com/c9510-319.html 2024 Latest passapply C9510-319 PDF and VCE dumps Download

## **QUESTION 1**

Using the WSDL editor, how can a developer create anew message for an operation input?

A. 1. In the Graph view, right-click on space below the message column

2.

Select New -> Message

3.

Provide the name of the new message and click OK

B. 1. In the Design view, right-click on the input message under the operation table

2.

Select Set Message -> New Message

3.

Provide the name of the new message and click OK

C. 1. In the Design view, select the input message under the operation table

2.

Click on the Add message icon in the tool bar

3.

Provide the name of the new message and click OK

- D. 1. In the Graph view, right-click on the name of the input message
- 2. Select New -> Message
- 3. Provide the name of the new message and click OK

Correct Answer: B

#### **QUESTION 2**

Which of the following are ways to add or customize an HTTP header to a Web service request in IBM Web Sphere Application ServerV7.0.

- A. Specify the values to be set on a policy set and attach the policy set to the client reference
- B. Use a JAX-WS Logical Handler and get/set the HTTP headers from the JAXWSMessageContext
- C. Use a JAX-WS Protocol Handler and get/set the HTTP headers from the JAX-WS Message Context



# https://www.passapply.com/c9510-319.html

2024 Latest passapply C9510-319 PDF and VCE dumps Download

D. Create a Hash Map containing the transport headers and set the Hash Map on the JAX- WS Service under a property named REQUEST\_TRANSPORT\_PROPERTIES

E. Create a Hash Map containing the transport headers and set the Hash Map on the JAX- WS Binding Provider under a property namedREQUEST\_TRANSPORT\_PROPERTIES

Correct Answer: CE

### **QUESTION 3**

Which of the following is NOT a valid property for configuring the WebSphere internal JMS server?

- A. Initial State
- B. Queued Port
- C. Queue Name
- D. Host Name

Correct Answer: D

#### **QUESTION 4**

What could be preventing the developer from modifying some properties in the wizard?

- A. The Java Bean contains an @Web Service annotation
- B. The delegate class for the Web service already exists
- C. The developer had selected JAX-RPC for the Web services runtime
- D. The Web project containing the Java bean is at the J2EE 1.4 level

Correct Answer: A

# **QUESTION 5**

What can be used to test and publish Web services toIBM UDDI?

- A. Web Services Explorer
- B. IBM UDDI Test Registry
- C. Universal Test Client (UTC)
- D. Web services sample test JSPs

Correct Answer: A



https://www.passapply.com/c9510-319.html 2024 Latest passapply C9510-319 PDF and VCE dumps Download

C9510-319 PDF Dumps

C9510-319 VCE Dumps

C9510-319 Braindumps