



# C9510-319<sup>Q&As</sup>

IBM WebSphere Application Server Developer Tools V8.5 with Liberty Profile

## Pass IBM C9510-319 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9510-319.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A developer runs a servlet from an OSGi web project named CounterWebBundle on a Liberty server and gets the following error message when the doGet method of the servlet is run:

[ERROR ] SRVE0777E: Exception thrown by application class

```
\\com.ibm.ws.eba.servlet.CounterServlet.doGet():42\\java.lang.NoClassDefFoundError: javax.naming.InitialContext
```

How should the developer resolve the problem?

- A. Ensure that jndi-1.0 and serverStatus-1.0 are added to the Feature Manager in the server configuration.
- B. Ensure that jndi-1.0 is added to the Feature Manager in the server configuration and the javax.naming package is added to the Import-Package of CounterWebBundle.
- C. Ensure that jndi-1.0 is added to the Feature Manager in the server configuration and Web 2.0 is selected in the Project Facets of the Properties for CounterWebBundle.
- D. Ensure that jndi-1.0 is added to the Feature Manager in the server configuration and the javax.naming.InitialContext is specified in the init-method of the beans specified in the blueprint.xml file of CounterWebBundle.

Correct Answer: B

---

### QUESTION 2

Identify the WSDL elements shown by the arrows.

- A. Message part, port, port type
- B. Endpoint, interface, message part
- C. Port, operation, response message
- D. Port type, response element, service

Correct Answer: A

---

### QUESTION 3

JAX-WS is the successor to JAX-RPC. Which of the following are reasons why a developer may choose to migrate from JAX-RPC to JAXWS in IBM Web Sphere Application Server V7.0?

- A. JAX-RPC is deprecated in Java EE 5. All Web services within a Java EE 5 module need to be JAX-WS-based Web services.
- B. A JAX-RPC service is returning attachments to clients and many of the new clients will be Microsoft .NET clients.
- C. A JAX-RPC developed Web service would like to leverage WS-ReliableMessaging in order to ensure reliable and interoperable Web services.



D. A JAX-RPC developer wants to expose a service defined as WSDL 2.0 in order to upgrade to the next level of Web services specifications.

E. A JAX-RPC Web service needs to take advantage of WS-Addressing and needs to return a endpoint reference pointing to another Web service.

F. A JAX-RPC Web service developer wants to schema validate a message using JAXB by using a JAXWS provider combined with JAXB.

Correct Answer: BCF

---

#### QUESTION 4

Which of the following can be changed using Web Services Explorer?

A. Endpoint URL

B. Policy Set Attachment

C. Adding HTTP Headers

D. Adding SOAP Headers

E. Input values to the request

F. JSR-109 Deployment Descriptors

Correct Answer: ADE

---

#### QUESTION 5

Which interface in SAAJ generically represents any literal part in a SOAP message?

A. Javax.xml.soap.Text

B. Javax.xml.soap.Node

C. Javax.xml.soap.DetailEntry

D. Javax.xml.soap.SOAPElement

E. Javax.xml.soap.SOAPBodyElement

Correct Answer: D

[C9510-319 PDF Dumps](#)

[C9510-319 Study Guide](#)

[C9510-319 Braindumps](#)