



C9510-319^{Q&As}

IBM WebSphere Application Server Developer Tools V8.5 with Liberty Profile

Pass IBM C9510-319 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9510-319.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A developer using WebSphere Application Server Developer Tools has written a webapplication that is shared by multiple EAR projects.

Which statement is true if the developer deletes the web application?

- A. All the references to the Web application are removed from the EAR, but only if the userselects to do that in the Delete Resources confirmation dialog.
- B. All the references to the Web application are removed from the EAR projects only ifnone of the projects are deployed to aLiberty server.
- C. The developer must remove the references to theweb application from all the EARprojects before deleting the web application.
- D. All the references to the Web application are removed from the EAR projects bydefault.

Correct Answer: D

QUESTION 2

Refer to the WSDL extract in the Exhibit. What type of operation is this?

- A. One-way
- B. Notification
- C. Solicit response
- D. Publish/subscribe
- E. Request/response

Correct Answer: B

QUESTION 3

Which of the following is a supported method for validating WS-I compliance using IBM Rational Application Developer V7.5?

- A. Use the TCP/IP Monitor to save and review the WS-I message log
- B. Use the Web Services Explorer to load the Web service and select Validate Service
- C. Use the Universal Test Client (UTC) to invoke the Web service and view the response source
- D. Use the Profiling tools to profile the execution of the Web service and define a Watch for the SOAP messages

Correct Answer: A



QUESTION 4

Which of the following is TRUE about specifying the SOAP version in JAX-WS?

- A. The JAX-WS @Binding Type annotation of SOAP12HTTP_BINDING indicates to 1.2 on both HTTP and JMS
- B. The JAX-WS @Binding Type annotation of SOAP12 indicates to expose the Web service via SOAP 1.2 on both HTTP and JMS
- C. A Web service implementation defined with a JAX-WS @Web Service annotation defaults to expose the endpoint via SOAP 1.1 only.
- D. A Web service implementation defined with a JAX-WS @Web Service annotation defaults to expose the endpoint via SOAP 1.2 only.
- E. A Web service implementation defined with a JAX-WS @Web Service annotation defaults to expose the endpoint via both SOAP 1.1 and SOAP 1.2.

Correct Answer: AC

QUESTION 5

A developer is using the WebSphere Server application Developer Tools to convert their existing JPA project to an OSGi JPA bundle. The original JPA project has a persistence.xml file that is by default located in the src/META-INF folder of the project.

The developer invokes the action to convert the JPA project to an OSGi bundle project.

Which changes are expected to be performed by the tools to the original project when it is converted to an OSGi bundle?

- A. The MANIFEST.MF file is generated under a new META-INF folder in the root of the project. The following entry is added to the MANIFEST.MF file: Meta-Persistence:
- B. The MANIFEST.MF file is generated under a new META-INF folder without a Meta-Persistence: Entry
- C. The MANIFEST.MF file is generated in the src/META-INF folder which contains the persistence.xml file. The following entry is added to the MANIFEST.MF file: Meta-Persistence:
- D. The MANIFEST.MF file is generated in the BundleContext/META-INF folder. The persistence.xml is moved from the src folder to the same location as the MANIFEST.MF.

Correct Answer: C

[C9510-319 PDF Dumps](#)

[C9510-319 VCE Dumps](#)

[C9510-319 Practice Test](#)