



C9510-418^{Q&As}

IBM Cloud Object Storage V3.8 Implementation

Pass IBM C9510-418 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9510-418.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Heapdumps, javacores, and system cores are recommended to be generated for which kind of IBM WebSphere Application Server problems?

- A. Slow page rendering
- B. High CPU and disk I/O
- C. Slow File uploads and downloads
- D. System hangs and out of memory

Correct Answer: B

Reference: <https://www-01.ibm.com/support/docview.wss?uid=swg21138203>

QUESTION 2

When server1 is running profile1, in which folder would the application logs be found?

- A. \profiles\server1\logs
- B. \profiles\profile1\logs
- C. \profiles\profile1\logs\server1
- D. \profiles\server1\logs\profile1

Correct Answer: D

Reference: https://www.ibm.com/support/knowledgecenter/en/SSZJPZ_11.7.0/com.ibm.swg.im.iis.found.admin.common.doc/topics/wsadmin_was_log_files.html

QUESTION 3

To prepare for configuring dynamic operations and dynamic clusters in the environment, what must the administrator do first?

- A. Create a service policy.
- B. Create multiple servers.
- C. Create the On Demand Router.
- D. Create multiple unfederated nodes.

Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/en/SSAW57_8.5.5/com.ibm.websphere.nd.multiplatform.doc/ae/rwve_odrcompareclusters.html



QUESTION 4

What does the `?com.ibm.websphere.alarmthreadmonitor.generate.javacore` JVM argument do?

- A. Creates a javacore dump when a thread is hung
- B. Generates a Trace message that a javacore should be generated
- C. Generates a SystemOut message that a javacore should be generated
- D. Allows the administrator to choose whether or not to generate a javacore when a hang is detected

Correct Answer: A

If you want to monitor the activity of threads on which system alarms execute, add the following JVM generic arguments to the server settings. `-Dcom.ibm.websphere.alarmthreadmonitor.generate.javacore`

Set to any value to cause a javacore dump to be created when an hung system alarm thread is detected. The threads section of the javacore dump can be analyzed to determine what the reported thread and other related threads are doing.

Reference: https://www.ibm.com/support/knowledgecenter/en/SSAW57_8.5.5/com.ibm.websphere.nd.doc/ae/ttrb_confighangdet.html

QUESTION 5

Which of the following is true about executing the Installation Verification Tool?

- A. The Installation Verification Tool creates profile1.
- B. The Installation Verification Tool starts the application server.
- C. The Installation Verification Tool restarts the application server.
- D. The Installation Verification Tool starts the administrative console.

Correct Answer: A

[Latest C9510-418 Dumps](#)

[C9510-418 Study Guide](#)

[C9510-418 Exam Questions](#)