



C9510-842^{Q&As}

Rational Functional Tester for Java

Pass IBM C9510-842 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9510-842.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Out of the box, what are the different options for logging RFT tests?

- A. HTML, text, custom, TestManager, and none
- B. HTML, text, TPTP, TestManager, and none
- C. TestManager, CQTM, TPTP, HTML, and none
- D. HTML, PDF, text, TestManager, and none

Correct Answer: B

QUESTION 2

If a test fails because the tester has updated the test data, what should the tester do to prevent continued failures?

- A. re-record the test
- B. use the comparator and update the baseline data
- C. nothing, because the test is supposed to fail
- D. change the test data

Correct Answer: B

QUESTION 3

You cannot access help file from Rational Functional Tester. You receive an error or the page loads slowly. How can this be fixed?

- A. talk to the LAN Administrator to see if there is a problem with the corporate network or if the ISP is having performance issues
- B. in Network properties, change the IP configuration to static IP and provide a valid IP address, which can be obtained from the LAN Administrator
- C. in the Network Advanced settings for proxies, remove "127.0.0.1; localhost" from the Exceptions if these addresses are listed
- D. if your host was configured to use DHCP for IP assignment, make sure that the "Automatically detect settings" checkbox is cleared

Correct Answer: D

QUESTION 4



When you enable web browsers, what is the best way to select the Linux or UNIX web browser?

- A. You use the Search button, choose Search All, select the executable, and provide all the needed parameters.
- B. Modify the registry to enable Linux or Unix web browser support
- C. Modify the Internet Explorer settings to refer to a Linux or Unix web browser
- D. You use the Search button, choose Search In, browse to the executable, and provide all the needed parameters

Correct Answer: D

QUESTION 5

What must you do to view a comparator of a failed verification point from an RFT text log?

- A. open a web browser and browse to open the file: \\.\rftvd for the verification point you want to view
- B. right-click on the test log and select Failed Verification Points from the right-click menu, then select the verification point you want to view
- C. open the test log, right-click on the verification point line you want to view and select View Results from the right-click menu
- D. log results in another format since you cannot open a comparator from a text log

Correct Answer: B

[C9510-842 Practice Test](#)

[C9510-842 Study Guide](#)

[C9510-842 Exam Questions](#)