



C9510-842^{Q&As}

Rational Functional Tester for Java





Pass IBM C9510-842 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9510-842.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What should the tester do to open the comparator in an HTML log after the test has been played back?

- A. select View > Failures from the menu
- B. click the View Results link in the test log
- C. nothing, because the comparator open automatically
- D. select Open > Comparator from the menu

Correct Answer: B

QUESTION 2

Which objects can be tested with a State verification point?

- A. A combo box and a list box
- B. A label and a text box
- C. A table and a tree view
- D. A checkbox and a toggle button

Correct Answer: D

QUESTION 3

A script needs to perform an action on an object. One of the recognition properties of the object is the .url property. The URL is dynamic. At recording time, the URL was `http://www-3.ibm.com`. However, it can vary every time the script is played back. In particular, the portion of the .url property that is subject to change is the digits that appears after the dash.

Which regular expression will match the value of the .url property regardless of the number of digits between the - and the .? Note: The regular expression should NOT match the .url property if no digits appear after the dash (as in `www-.ibm.com`).

- A. `www-*.ibm\com`
- B. `www-{num}?\.ibm\com`
- C. `www-{num}+\.ibm\com`
- D. `www-[0-9]*\.ibm\com`
- E. `www-[0-9]\.ibm\com`

Correct Answer: C



QUESTION 4

Which three methods write to the RFT log? (Choose three.)

- A. logError()
- B. logDefect()
- C. logInfo()
- D. logWarning()
- E. logSuccess()

Correct Answer: ACD

QUESTION 5

What should the tester open to view Test Objects, Main Data Area and Recognition Data?

- A. the test script
- B. the test comparator
- C. the object map
- D. the log viewer

Correct Answer: B

[C9510-842 PDF Dumps](#)

[C9510-842 Study Guide](#)

[C9510-842 Braindumps](#)