

C9530-272<sup>Q&As</sup>

IBM WebSphere Message Broker V8.0 Solution Development

# Pass IBM C9530-272 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/c9530-272.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





# **QUESTION 1**

A bank uses Process Server to implement a supervisor based, credit line approval process. Once initiated, the process does not return a response. This Process Server workflow needs to be started every time the Message Broker receives a new credit increase transaction. To implement this requirement, a solution developer can design a message flow that uses:

- A. Publication Node
- **B. SCARequest Node**
- C. a combination of SOAPAsyncRequest and SOAPAsyncResponse
- D. JavaCompute Node to invoke the process flow JAR files that are generated

Correct Answer: B

#### **QUESTION 2**

To create a message definition, a solution developer has performed the following steps:

- 1.Create a new message set 2.Create a new message definition file 3.Add a Tagged/Delimited String
- (TDS) physical format to the message set 4.Import a COBOL copybook 5.Add a Custom Wire Formats
- (CWF) physical format to the message set 6.Import a C header file Which of the following is true?
- A. The message definition file created in step 2 contains no logical definitions.
- B. The message definition file created in step 2 does not support any physical formats.
- C. The length of the fields on the TDS format in the C message definition are not set.
- D. The length of the fields on the CWF format in the COBOL message definition are not set.

Correct Answer: A

#### **QUESTION 3**

A solution developer uses ESQL to transform messages. Which options can the solution developer use to delete a message field or message structure? (Choose three)

- A. Set the value to 0
- B. Set the value to NULL
- C. Set the value to ""(Empty String)
- D. Use the ATTACH statement
- E. Use the DETACH statement



# F. Use the DELETE statement

Correct Answer: BEF

# **QUESTION 4**

A healthcare company needs to implement WS-Security integrity message signing for an existing web service flow that will now be handling sensitive data. Which nodes can the solution developer use to develop this enhancement? (Choose two)

- A. HTTPInput
- **B. HTTPRequest**
- C. SOAPInput
- **D. SOAPRequest**
- E. SOAPEnvelope
- Correct Answer: CD

# **QUESTION 5**

A message flow needs to be designed such that available messages must be processed in sequential order. Missing messages in the sequence must be discarded if they appear later. The solution developer implements this message flow using Sequence and Resequence nodes. To meet the specifications for this message flow, how should the solution developer wire the Resequence node?

A. The Out, Expire, and Missing terminals should be wired together.

B. The Out terminal should be wired, but the Expire and Missing terminals should be left unwired.

C. The Out and Missing terminals should be wired together, and the Expire terminal should be left unwired.

D. The Out and Expire terminals should be wired together, and the Missing terminal should be left unwired.

Correct Answer: D

C9530-272 Study Guide C9530-272 Exam Questions C9530-272 Braindumps