



C9530-404^{Q&As}

IBM Integration Bus V9.0 Solution Development

Pass IBM C9530-404 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9530-404.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A solution developer needs to implement a message flow that invokes a Business Process Execution Language (BPEL) process in IBM Business Process Manager Advanced Version V7.5 and continue processing the message in the message flow without waiting for a response.

Which node should the developer use?

- A. CORBARequest
- B. SOAPRequest
- C. SCARequest
- D. SCAAsyncRequest

Correct Answer: C

QUESTION 2

A solution developer wants to monitor how much Java processing memory is currently allocated to an integration server. A flow is currently deployed.

Assuming resource statistics collection has been started, which step will allow the developer to obtain these statistics?

- A. Expand Integration Nodes folder in IBM Integration Explorer Choose Window menu: Show view: Resource statistics Click JVM tab, and view CommittedMemoryInMB measurement
- B. Expand Integration Nodes folder in IBM Integration Explorer Choose Window menu: Show view: Resource statistics Click JVM tab, and view UsedMemoryinMB measurement
- C. Expand Integration Nodes in IBM Integration Toolkit Choose Window menu: Show view: Resource statistics Click JVM tab, and view UsedMemoryinMB measurement
- D. Expand Integration Nodes in IBM Integration Toolkit Choose Window menu: Show view: Resource statistics Click JVM tab, and view CumulativeGCTimeInSeconds measurement

Correct Answer: B

QUESTION 3

In which situation can the IBM Integration Bus function as a component in a WebSphere MQ based publish subscribe solution?

When it is necessary to:


- A. deliver a publication to all subscribing applications.
- B. create topics based on the content of the body of the message.
- C. filter messages based on the content of the body of the message.



D. create subscriptions based on the content of the body of the message.

Correct Answer: A

QUESTION 4



The following messages are sent to the MQ Input node, as described below:

- 0 A
- 1 B
- 2 C
- 4 E
- 6 G
- a delay of 11 seconds
- 5 F
- a delay of another 11 seconds
- 3 D

What is the end result of processing this messages, using the "Value" element arriving in the specific order listed?

- A. A, B, Con MQ Output;F,Don MQ Output Failure; andE,Gon MQ Output Expire.
- B. A, B, Con MQ Output;F,Don MQ Output Missing; andE,Gon MQ Output Expire.



C. A, B, Con MQ Output;D, Fon MQ Output Failure; andE,Gon MQ Output Expire.

D. A, B, Con MQ Output;D, Fon MQ Output Failure; andE,Gon MQ Output Failure.

Correct Answer: D

QUESTION 5

A solution developer wants to use constant variables in the message flows. The solution developer decides to use a user-defined property in the ESQL code because the values can change at deployment time.

Which ESQL statement should the developer use to access a user-defined property in the ESQL?

A. DECLARE variable CHARACTER \\' ?nitialValueExpression-\\'

B. DECLARE variable SHARED CHARACTER \\' ?nitialValueExpression-\\'

C. DECLARE variable EXTERNAL CHARACTER \\' ?nitialValueExpression-\\'

D. DECLARE variable CONSTANT CHARACTER \\' ?nitialValueExpression-\\'

Correct Answer: C

[C9530-404 PDF Dumps](#)

[C9530-404 VCE Dumps](#)

[C9530-404 Study Guide](#)