



# C9530-404<sup>Q&As</sup>

IBM Integration Bus V9.0 Solution Development

**Pass IBM C9530-404 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9530-404.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A message flow contains multiple nodes that reference the same database. In the production environment, all nodes should refer to a database called CLAIMS. In the test environment, all nodes should refer to a database called CLAIMSTEST.

What can the solution developer do to ensure that all nodes refer to the same database when the message flow is deployed in the target environment?

- A. Create a configurable service for the database.
- B. Promote the Data Source property on each node to a single message flow property.
- C. Set the database name in the LocalEnvironment.Destination.Databasetree location.
- D. Declare a shared variable and set the Data Source property on each node to the shared variable.

Correct Answer: B

---

### QUESTION 2

When using the IBM built-in node to output a file using WebSphere MQ Managed File Transfer, which message tree must be used to override the node properties?

- A. Environment.Destination.File
- B. Environment.Destination.FTE
- C. LocalEnvironment.Destination.FTE
- D. LocalEnvironment.WrittenDestination.FTE

Correct Answer: D

---

### QUESTION 3

A solution developer needs to create a broker archive to deploy an application on an integration server. During this process, the solution developer can add a flow as

- A. mgsflowor.cmffile. The solution developer decides to use mgsflow. Which node is allowed in the flow?
- B. A user-defined node that is created from a subflow.
- C. A user-defined node that is created from a Java implementation.
- D. A WebSphere Message Broker Version 7.0 Mapping node.
- E. A subflow node that represents a subflow that is defined in a msgflowfile.

Correct Answer: A

---



#### QUESTION 4

The Integration Toolkit Adapter Connection wizard is used to create the resources that enable the WebSphere Adapters to connect to:

- A. a medical device.
- B. IBM Business Monitor.
- C. Microsoft Dynamics CRM.
- D. PeopleSoft Enterprise Information System (EIS).

Correct Answer: D

---

#### QUESTION 5

A solution developer wants to add meta information to a message flow that is to be deployed to the integration node. The meta information should be accessible at runtime using the IBM Integration Explorer. The flow processesMQ messages, contains a subflow and uses a JavaCompute node for the implementation of the mapping logic.

How does the developer include the name of the author so it is clearly associated with the deployed Java code?

- A. Add an MQSI keyword as a comment into the Java code.
- B. Add the author's name in the Short Description field of the JavaCompute node.
- C. Add an MQSI keyword into akeywords.txtfile located in the META-INF folder of the JAR.
- D. Create a .propertiesfile with the author's name in the project source folder of the JavaCompute node.

Correct Answer: C

[Latest C9530-404 Dumps](#)

[C9530-404 Study Guide](#)

[C9530-404 Braindumps](#)