



C9530-410^{Q&As}

IBM MQ V8.0 System Administration

Pass IBM C9530-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9530-410.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A system administrator has been given a task to install IBM MQ V8.0 on an AIX system which already has WebSphere MQ V7.5 on it. The system administrator wants to set a specific installation name for the second copy.

How can the system administrator do this?

- A. Issue command `crtmqm -n`
- B. Issue command `setmqinst -n`
- C. Issue command `crtmqinst -n`
- D. Specify the installation name during the install when prompted.

Correct Answer: C

QUESTION 2

A system administrator migrated IBM MQ for z/OS from V7.1 to V8.0. What operation mode allows the system administrator to backward migrate an existing queue manager?

- A. `OPMODE = COMPAT, 7.1`
- B. `OPMODE = COMPAT, 710`
- C. `OPMODE = NEWFUNC, 7.1.0`
- D. `OPMODE = NEWFUNC, 800`

Correct Answer: B

QUESTION 3

A system administrator of a z/OS queue manager expects to have 1000 client channels connecting with the queue manager at the same time.

What should system administrator do to tune the channel initiator to handle this work?

- A. Use the default values for the channel initiator parameters.
- B. Increase `MAXCHL`, `ACTCHL`, `TCPCHL`, `CHIADAPS`, and `CHIDISPS` from the default values.
- C. Increase `CHIADAPS` and use the default values for `CHIDISPS`, `MAXCHL`, `ACTCHL`, `TCPCHL`.
- D. Increase `CHIADAPS` and `CHIDISPS` and use the default values for `MAXCHL`, `ACTCHL`, `TCPCHL`.



Correct Answer: B

QUESTION 4

A system administrator installed IBM MQ V8.0 on AIX. Business rules require complete recovery of messages on queues to avoid data loss and a quick restart of IBM MQ V8.0 to minimize messaging outages.

What must the system administrator do to make MQ compliant with these business rules?

- A. De ne circular logging and backup/opt/mqm regularly.
- B. De ne LogFilePages = 128kb and back up /usr/mqm regularly.
- C. De ne linear logging and persistent messages, and back up /var/mqm regularly.
- D. Create a queue manager as persistent and back up /usr/mqm regularly.

Correct Answer: D

QUESTION 5

For a queue manager with CHLAUTHDISABLED, the AUTHINFO has been defined as follows: DEFINE AUTHINFO \\CHECK.PWD\\ AUTHTYPE IDPWOS CHCKCLNT REQUIRED ADOPTCTX NO A developer tried to test the connection by setting the MQSAMP USER ID to "user1" setting the MQSERVER environment variable, and running the amqsputc sample program. The developer logon ID, "user2", has no access to the queue manager, but "user1" has all the required access. When the developer ran amqsputc, it prompted for a password. The developer provided a valid password for "user1", but amqsputc failed with the MQRC NOT AUTHORIZED 2035 reason code. What did the system administrator identify as the cause for the 2035 reason code?

- A. "user1" is not defined in LDAP.
- B. "user1" does not have access to the channel.
- C. "user2" does not have access to the MQ objects.
- D. The password for "user2" must be provided when amqsputc prompted for a password.

Correct Answer: B

[C9530-410 VCE Dumps](#)

[C9530-410 Practice Test](#)

[C9530-410 Exam Questions](#)