



C9530-410^{Q&As}

IBM MQ V8.0 System Administration

Pass IBM C9530-410 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9530-410.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A JMS 2.0 application running on z/OS specifies a delivery delay of 20 seconds when sending messages. What must the system administrator do to support the delivery delay?

- A. Set TCP Delivery Delay for the listener to 20.
- B. Ensure SYSTEM.DDELAY.LOCAL.QUEUE exists as a local queue.
- C. ConfigureSetDeliveryDelay20000fortheconnectionfactory.
- D. ConfigureSetDeliveryDelay20000forSYSTEM.DDELAY.LOCAL.QUEUE.

Correct Answer: C

QUESTION 2

A system administrator has defined a queue manager cluster, CLUS1, consisting of three queue managers QMGRI, QMGR2 and QMGR3 running on three different servers. The system administrator also defined a clustered queue Q1 on the three queue managers. The messages currently get distributed to Q1 across the three queue managers uniformly. The system administrator has been asked to ensure that the Q1 on QMGRI gets more messages compared to QMGR2 and QMGR3. Which channel attribute should the system administrator modify to achieve this?

- A. NETPTRY
- B. CLWLPTRY
- C. CLWLMRUC
- D. CLWLWGHT

Correct Answer: D

QUESTION 3

A system administrator has defined a queue manager cluster CLUS1 consisting of queue managers QMGRI, QMGR2 and QMGR3. QMGRI and QMGR2 are full repository queue managers. The system administrator has been asked to add a new queue manager, QMGR4, as a partial repository to the existing cluster. What action does the system administrator need to perform on QMGR4? Choose two.

- A. Run ALTERQMGRREPOSCLUS1
- B. Run ALTER QMGR REPOS CLUS2
- C. Define a cluster-receiver channel
- D. Define a cluster-sender channel to QMGR2
- E. Define a cluster-sender channel to QMGR3

Correct Answer: AD



QUESTION 4

A system administrator would like to capture accounting and statistics data to analyze performance of channels across multiple platforms.

Where can the system administrator capture the data?

- A. In the System Management Facility SMF.
- B. On SYSTEM.ADMIN.PERFM.EVENT queue.
- C. On SYSTEM.ADMIN.ACCOUNTING.QUEUE and SYSTEM.ADMIN.STATISTICS.QUEUE.
- D. On SYSTEM.ADMIN.ACCOUNTING.QUEUE and SYSTEM.ADMIN.STATISTICS.QUEUE for distributed platforms and in System Management Facility SMF for the z/OS platform.

Correct Answer: C

QUESTION 5

A queue-sharing group on z/OS consists of three queue managers: QM1, QM2, and QM3. After an unexpected failure, QM2 cannot be restarted. A system administrator needs to find out if there are any indoubt threads that need to be recovered manually. What command should the system administrator run on QM1 to see the indoubt threads.

- A. DISPLAY INDOUBT*
- B. DISPLAY THREAD * TYPE INDOUBT ALL
- C. DISPLAY THREAD* TYPE INDOUBT QMNAME QM2
- D. DISPLAY CONN* WHERE UOWSTATE EQ UNRESOLVED

Correct Answer: B

[Latest C9530-410 Dumps](#)

[C9530-410 Practice Test](#)

[C9530-410 Study Guide](#)