



C9560-503^{Q&As}

IBM Tivoli Monitoring V6.3 Fundamentals

Pass IBM C9560-503 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c9560-503.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is the purpose of multiple Warehouse Proxy agents?

- A. To get more accurate data from the Tivoli Data Warehouse
- B. So that Summarization and Pruning can complete in its window
- C. To ensure that Tivoli Monitoring agent data is written to the Tivoli Data Warehouse
- D. To allow multiple users to query the Tivoli Data Warehouse from the Tivoli Enterprise Portal Server

Correct Answer: C

QUESTION 2

Which two actions cause pure events to occur? (Choose two.)

- A. Disk is full
- B. High CPU detected
- C. Login user attempt fail
- D. Hardware error detected
- E. Memory usage increase

Correct Answer: CD

QUESTION 3

Where can a user defined query be used for data retrieval?

- A. View only
- B. Workspace only
- C. View and Workspace only
- D. View, Workspace, and Embedded Situations

Correct Answer: C

QUESTION 4

A server with multiple NICs is in an environment with firewalls. Only one NIC has connectivity to the Tivoli Enterprise Monitoring Server (TEMS). One of the agents on the server is not communicating with the TEMS. What should be checked?



- A. The configuration file for the failing agent should have KDEB_NIC= followed by the IP addresses of the NIC cards that should not be used.
- B. The configuration file for the failing agent should have KDEB_INTEREACELIST=! followed by the IP address of the NIC card that should be used.
- C. The configuration file for the failing agent should have KDEB_INTERFACELIST=! followed by the IP addresses of the NIC cards that should not be used.
- D. Issue a telnet command to the TEMS host using port 1918 if IP.PIPE is being used or port 3660 if IP.SPIPE is being used. If it does not succeed then open the port in the firewall.

Correct Answer: B

QUESTION 5

What is supplied with each monitoring agent?

- A. Attribute Groups
- B. Tivoli Data Warehouse reports
- C. Universal Agent Data Providers
- D. IBM Tivoli Netcool/OMNI bus rules

Correct Answer: A

[C9560-503 PDF Dumps](#)

[C9560-503 Exam Questions](#)

[C9560-503 Braindumps](#)