



# C\_HANAIMP\_17<sup>Q&As</sup>

SAP Certified Application Associate - SAP HANA 2.0 (SPS05)

## Pass SAP C\_HANAIMP\_17 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.passapply.com/c\\_hanaimp\\_17.html](https://www.passapply.com/c_hanaimp_17.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official  
Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





**QUESTION 1**

Which of the following results are generated when you query this temporal hierarchy using a time-validity period interval of March to May?



A	
Drinks	Cold
Cold	Coffee
Cold	Beer

B	
Drinks	Hot
Hot	Soup
Hot	Coffee
Drinks	Cold
Cold	Beer

C	
Drinks	Hot
Hot	Coffee
Drinks	Cold
Cold	Beer

D	
Drinks	Hot
Hot	Coffee
Drinks	Cold
Cold	Coffee
Cold	Beer

- A. D
- B. C
- C. A
- D. B

Correct Answer: A

**QUESTION 2**

How can you define a variable that presents its value help hierarchically?

Note: There are 2 correct answers to this question.

- A. Create a parent-child hierarchy and assign it to the variable. Ensure the variable's reference column is the parent attribute of the hierarchy.
- B. Create a parent-child hierarchy and assign it to the variable. Ensure the variable's reference column is the child



attribute of the hierarchy.

C. Create a level hierarchy and assign it to the variable. Ensure the variable's reference column is the leaf level of the hierarchy.

D. Create a level hierarchy and assign it to the variable. Ensure the variable's reference column is the top level of the hierarchy.

Correct Answer: C

---

### QUESTION 3

You want to control parallelization in a calculation view. Which action is mandatory when you define the parallelization block?

A. Define a union node as the start of the parallelization block.

B. Define a projection node as the end of the parallelization block.

C. Assign tables as the only data sources in the nodes that start the parallelization block.

D. Define a source column as partitioning value in the start node of the parallelization block.

Correct Answer: C

---

### QUESTION 4

What restrictions apply to a Graph node that you include in a calculation view?

A. It must be the first node in the dataflow.

B. It must be the final node in the dataflow.

C. Its data source must be provided by a projection node.

D. It cannot be included in a calculation view of type dimension.

Correct Answer: A

---

### QUESTION 5

What must you create to access a Predictive Analysis Library (PAL) procedure from inside your HDI container?

A. Database connection

B. Wrapper

C. Function

D. Synonym



Correct Answer: C

[C\\_HANAIMP\\_17 PDF Dumps](#)

[C\\_HANAIMP\\_17 Study Guide](#)

[C\\_HANAIMP\\_17 Exam Questions](#)