C_TAW12_750^{Q&As}

SAP Certified Development Associate - ABAP with SAP NetWeaver 7.50

Pass SAP C_TAW12_750 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/c_taw12_750.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

QUESTION 1

Which of the following program types can contain screens? (Choose three.)

A. Class pools

B. Interface pools

C. Module pools

D. Executable programs

E. Function groups

Correct Answer: CDE

QUESTION 2

The code of an executable program does NOT contain any event keywords.

What event block does the code belong to?

A. AT SELECTION-SCREEN

B. LOAD-OF-PROGRAM

C. INITIALIZATION

D. START-OF-SELECTION

Correct Answer: D

QUESTION 3

What will be the value of F1 after the export?

```
report rsbbb11b.
Tables: zmytab.
data: F1.
F1 = '1'.
submit RSCCC11D and Return.
export F1 zmytab to memory id 'XYZ'.


report rsccc11d.
Tables: zmytab.
data: F1.
```

A. SPACE

B. 2

C. 1

D. Run Time Error will occur

Correct Answer: A

QUESTION 4

To handle user requests in a dialog program, you must assign function codes to the relevant screen and window elements in the Screen Painter and menu Painter, mark the element that does not conin a function code.

A. Screen Pushbuttons

B. menu functions

C. Coniner

D. tool-bar pushbuttons

Correct Answer: C

QUESTION 5

A function module that has 2 classical exceptions is called with actual parameter values in such a way that both exception conditions are fulfilled.

How will the runtime system behave?

A. Both exceptions will be raised. In the calling program, sy-subrc has the value specified for the OTHERS option.

B. No exception will be raised. In the calling program, sy-subrc has the value specified for the OTHERS option.

C. Both exceptions will be raised. In the calling program, sy-subrc has the value specified for the second exception.

D. The first exception that occurs will be raised. In the calling program, sy-subrc has the value specified for the first exception.

Correct Answer: D