

# C\_TS422\_2021<sup>Q&As</sup>

SAP Certified Application Associate - SAP S/4HANA Production Planning and Manufacturing

## Pass SAP C\_TS422\_2021 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/c\_ts422\_2021.html

### 100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

Which options do you have to plan both quant ties and capacities during line loading in repetitive manufacturing? (Choose 2)

- A. Run MRP with quota arrangement.
- B. Run MRP with automatic selection of production version.
- C. Assign planned orders manual lying the planning table.
- D. Run PP/DS heuristics for repetitive manufacturing.

Correct Answer: AD

#### **QUESTION 2**

What do you use to dispatch operations from planned orders so that the production plan can be fulfilled?

- A. Material Requirements Planning (MRP)
- B. Capacity Requirements Planning (CRP)
- C. Supply Network Planning (SNP)
- D. Demand Planning (DP)

Correct Answer: A

#### **QUESTION 3**

What could be the reason for multiple commitment of invidula capacities, where several operations have the same scheduled dates on a work center (or resource) after planing? (Choose 2)

- A. The work center has several invidula capacities.
- B. The finite Scheduling indicator is NOT set in the strategy profile.
- C. The Change Planning Direction indicator is set in strategy profile.
- D. Alternative work centers are fully occupied.

Correct Answer: AB

#### **QUESTION 4**



Which of the following questions do you have to answer before you start creating a BOM? (Choose 2)

- A. In which storage location is the BOM required?
- B. Which Valid To information is necessary?
- C. Is the material type allowed in the BOM?
- D. What status does the BOM have?
- Correct Answer: BC

#### **QUESTION 5**

- In your plant, MRP is activated.
- Which option do you have to exclude a materila from the MRP run? (Choose 2)
- A. Use specific MRP controller
- B. Use a specific material group
- C. Use a specific material status
- D. Use a specific MRP type
- Correct Answer: AB

Latest C TS422 2021 Dumps <u>C TS422 2021 VCE</u> <u>Dumps</u> C TS422 2021 Braindumps